Geophysical journal international subject index by volume 99

Aegean

Comments on 'Preseismic quiescence before large earthquakes in the Aegean and surrounding area' by Karakaisis *et al.* (1987) (Papadopoulos, G.A.), **98**, 403
Reply on the comments of G.A. Papadopoulos on the paper 'Preseismic quiescence before large earthquakes in the Aegean and surrounding area' (Karakaisis, G.F., Panagiotopoulos, D.G., Krimnianiotou, M.Ch., Papazachos, B.C.), **98**, 405
Seismotectonics and the earthquake frequency–magnitude distribution in the Aegean area (Main, I.G., Burton, P.W.), **98**, 575

Africa

Upper Proterozoic and Phanerozoic pole positions and potassium-argon (K-Ar) ages from the East Sahara Craton (Saradeth, S., Soffel, H.C., Horn, P., Müller-Sohnius, D., Schult, A.), **97**, 209

Alps

A fine structural section through the crust and lower lithosphere along the axial region of the alps (Yan, Q.Z., Mechie, J.), **98**, 465
Constraints on the deep structure and dynamic processes beneath the Alps and adjacent regions from an analysis of gravity anomalies (Lyon-Caen, H., Molnar, P.), **99**, 19

Anisotropic media

Ray tracing in factorized anisotropic inhomogeneous media (Červený, V.), **99**, 91
A comment on the form of the geometrical spreading equations, with some numerical examples of seismic ray tracing in inhomogeneous, anisotropic media (Kendall, J.M., Thomson, C.J.), **99**, 401

Anisotropy

Ray tracing in azimuthally anisotropic media—I. Results for models of aligned cracks in the upper crust (Shearer, P.M., Chapman, C.H.), **96**, 51
Ray tracing in azimuthally anisotropic media—II. Quasi-shear wave coupling (Chapman, C.H., Shearer, P.M.), **96**, 65
The anisotropic structure of the upper mantle in the Pacific (Nishimura, C.E., Forsyth, D.W.), **96**, 203
The reflection and transmission of plane *P*- and *S*-waves by a continuously stratified band: a new approach using invariant imbedding (Tromp, J., Snieder, R.), **96**, 447
Crustal structure and possible anisotropy in Turkey from seismic surface wave dispersion (Mindevalli, O.Y., Mitchell, B.J.), **98**, 93
Surface waves in weakly anisotropic structures: on the use of ordinary or quasi-degenerate perturbation methods (Maupin, V.), **98**, 553

APWP (apparent polar wander path)

A weighted least-squares fit of the Australian apparent polar wander path for the last 100 Myr (Musgrave, R.J.), **96**, 231
Upper Proterozoic and Phanerozoic pole positions and potassium–argon (K-Ar) ages from the East Sahara Craton (Saradeth, S., Soffel, H.C., Horn, P., Müller-Sohnius, D., Schult, A.), **97**, 209

Archaeomagnetism

Archaeomagnetic evidence for the age and duration of firing of mediaeval hearths from Coffee Yard, York (Zhaoqin, M., Noel, M.), **97**, 357

Artificial intelligence

Artificial intelligence techniques in seismic signal interpretation (Chiaruttini, C., Roberto, V., Saitta, F.), **98**, 223

Atlas mountains

Active tectonics of the Algerian Atlas Mountains—evidence from aftershocks of the 1980 El Asnam earthquake (Yielding, G., Onyed, M., King, G.C.P., Hatzfeld, D.), **99**, 771

Attenuation

Comparison of iterative back-projection inversion and generalized inversion without blocks: case studies in attenuation tomography (Ho-Liu, P., Montagner, J.-P., Kanamori, H.), **97**, 19
Numerical modelling of SH Lg waves in and near continental margins (Regan, J., Harkrider, D.G.), **98**, 107

Audiomagnetotellurics

A high-resolution spectral study of audiomagnetotelluric data and noise interactions (Tzanis, A., Beamish, D.), **97**, 557

Australasia

Multigenetic gravity couple across a modern convergent margin: inheritance from Cretaceous asymmetric extension (Kamp, P.J.J., Hegarty, K.A.), **96**, 33
Crustal heterogeneity in South Australia, earthquake evidence (Greenhalgh, S.A., Tapley, D., Singh, R.), **96**, 85
A weighted least-squares fit of the Australian apparent polar wander path for the last 100 Myr (Musgrave, R.J.), **96**, 231
Late Pleistocene and Holocene sea-level change in the Australian region and mantle rheology (Nakada, M., Lambeck, K.), **96**, 497
Syn-deformational remanent magnetization of the Mount Eclipse Sandstone, central Australia (Li, Z.X., Powell, C.M., Schmidt, P.W.), **99**, 205

Basin and range province

Deformation of the NE Basin and Range Province: the response of the lithosphere to the Yellowstone plume? (Westaway, R.), **99**, 33

Bending parameters

The accuracy of some lithospheric bending parameters (McQueen, H.W.S., Lambeck, K.), **96**, 401

Black Sea

An experiment to invert *Seasat* altimetry for the Mediterranean and

Geophysical journal international subject index by volume 99

Aegean

Comments on 'Preseismic quiescence before large earthquakes in the Aegean and surrounding area' by Karakaisis *et al.* (1987) (Papadopoulos, G.A.), **98**, 403
Reply on the comments of G.A. Papadopoulos on the paper 'Preseismic quiescence before large earthquakes in the Aegean and surrounding area' (Karakaisis, G.F., Panagiotopoulos, D.G., Krimnianiotou, M.Ch., Papazachos, B.C.), **98**, 405
Seismotectonics and the earthquake frequency–magnitude distribution in the Aegean area (Main, I.G., Burton, P.W.), **98**, 575

Africa

Upper Proterozoic and Phanerozoic pole positions and potassium-argon (K-Ar) ages from the East Sahara Craton (Saradeth, S., Soffel, H.C., Horn, P., Müller-Sohnius, D., Schult, A.), **97**, 209

Alps

A fine structural section through the crust and lower lithosphere along the axial region of the alps (Yan, Q.Z., Mechie, J.), **98**, 465
Constraints on the deep structure and dynamic processes beneath the Alps and adjacent regions from an analysis of gravity anomalies (Lyon-Caen, H., Molnar, P.), **99**, 19

Anisotropic media

Ray tracing in factorized anisotropic inhomogeneous media (Červený, V.), **99**, 91
A comment on the form of the geometrical spreading equations, with some numerical examples of seismic ray tracing in inhomogeneous, anisotropic media (Kendall, J.M., Thomson, C.J.), **99**, 401

Anisotropy

Ray tracing in azimuthally anisotropic media—I. Results for models of aligned cracks in the upper crust (Shearer, P.M., Chapman, C.H.), **96**, 51
Ray tracing in azimuthally anisotropic media—II. Quasi-shear wave coupling (Chapman, C.H., Shearer, P.M.), **96**, 65
The anisotropic structure of the upper mantle in the Pacific (Nishimura, C.E., Forsyth, D.W.), **96**, 203
The reflection and transmission of plane *P*- and *S*-waves by a continuously stratified band: a new approach using invariant imbedding (Tromp, J., Snieder, R.), **96**, 447
Crustal structure and possible anisotropy in Turkey from seismic surface wave dispersion (Mindevalli, O.Y., Mitchell, B.J.), **98**, 93
Surface waves in weakly anisotropic structures: on the use of ordinary or quasi-degenerate perturbation methods (Maupin, V.), **98**, 553

APWP (apparent polar wander path)

A weighted least-squares fit of the Australian apparent polar wander path for the last 100 Myr (Musgrave, R.J.), **96**, 231
Upper Proterozoic and Phanerozoic pole positions and potassium–argon (K-Ar) ages from the East Sahara Craton (Saradeth, S., Soffel, H.C., Horn, P., Müller-Sohnius, D., Schult, A.), **97**, 209

Archaeomagnetism

Archaeomagnetic evidence for the age and duration of firing of mediaeval hearths from Coffee Yard, York (Zhaoqin, M., Noel, M.), **97**, 357

Artificial intelligence

Artificial intelligence techniques in seismic signal interpretation (Chiaruttini, C., Roberto, V., Saitta, F.), **98**, 223

Atlas mountains

Active tectonics of the Algerian Atlas Mountains—evidence from aftershocks of the 1980 El Asnam earthquake (Yielding, G., Onyed, M., King, G.C.P., Hatzfeld, D.), **99**, 771

Attenuation

Comparison of iterative back-projection inversion and generalized inversion without blocks: case studies in attenuation tomography (Ho-Liu, P., Montagner, J.-P., Kanamori, H.), **97**, 19
Numerical modelling of SH Lg waves in and near continental margins (Regan, J., Harkrider, D.G.), **98**, 107

Audiomagnetotellurics

A high-resolution spectral study of audiomagnetotelluric data and noise interactions (Tzanis, A., Beamish, D.), **97**, 557

Australasia

Multigenetic gravity couple across a modern convergent margin: inheritance from Cretaceous asymmetric extension (Kamp, P.J.J., Hegarty, K.A.), **96**, 33
Crustal heterogeneity in South Australia, earthquake evidence (Greenhalgh, S.A., Tapley, D., Singh, R.), **96**, 85
A weighted least-squares fit of the Australian apparent polar wander path for the last 100 Myr (Musgrave, R.J.), **96**, 231
Late Pleistocene and Holocene sea-level change in the Australian region and mantle rheology (Nakada, M., Lambeck, K.), **96**, 497
Syn-deformational remanent magnetization of the Mount Eclipse Sandstone, central Australia (Li, Z.X., Powell, C.M., Schmidt, P.W.), **99**, 205

Basin and range province

Deformation of the NE Basin and Range Province: the response of the lithosphere to the Yellowstone plume? (Westaway, R.), **99**, 33

Bending parameters

The accuracy of some lithospheric bending parameters (McQueen, H.W.S., Lambeck, K.), **96**, 401

Black Sea

An experiment to invert *Seasat* altimetry for the Mediterranean and

Black Sea mean surfaces (Mazzega, P., Houry, S.), **96**, 259
A palaeomagnetic approach to the origin of the Black Sea (Sarıbudak, M.), **99**, 247

Body waves

The reflection and transmission of plane *P*- and *S*-waves by a continuously stratified band: a new approach using invariant imbedding (Tromp, J., Snieder, R.), **96**, 447
Long-period precursors to pP from deep-focus earthquakes: the Moho underside reflection pMP (Schenk, T., Müller, G., Brüstle, W.) **98**, 317
The effect of crustal scattering on observed high-frequency earthquake seismograms (Ebel, J.E.), **98**, 329
Synthetic body wave seismograms for laterally varying media containing thin transition layers (Červený, V.), **99**, 331

Book review

Book review (Tarling, D.H.), **98**, 409
Book review (Christensen, N.I.), **98**, 633

***b*-values**

A reinterpretation of the precursory seismic *b*-value anomaly from fracture mechanics (Main, I.G., Meredith, P.G., Jones, C.), **96**, 131

Canada

Estimation of the magnetic fields of current channels in magnetovariational data (Wang, X., Samson, J.C., Gough, D.I.), **96**, 381
A controlled-source, time-domain electromagnetic survey over an upthrust section of Archean crust in the Kapuskasing Structural Zone (Kurtz, R.D., Macnae, J.C., West, G.F.), **99**, 195

Chandler wobble

The effect of mantle inelasticity on tidal gravity: a comparison between the spherical and the elliptical Earth model (Dehant, V., Zschau, J.), **97**, 549

Channelled currents

Estimation of the magnetic fields of current channels in magnetovariational data (Wang, X., Samson, J.C., Gough, D.I.), **96**, 381

Compact finite-elements

Three-dimensional time-domain electromagnetic modelling using a compact finite-element frequency-stepping method (Gupta, P.K., Raiche, A.P., Sugeng, F.), **96**, 457

Continental deep drilling

Book review (Christensen, N.I.), **98**, 633

Continental deformation

Deformation of the NE Basin and Range Province: the response of the lithosphere to the Yellowstone plume? (Westaway, R.), **99**, 33

Continental margins

Numerical modelling of SH Lg waves in and near continental margins (Regan, J., Harkrider, D.G.), **98**, 107
Finite element modelling of surface wave transmission across regions of subduction (Drake, L.A., Bolt, B.A.) **98**, 271
The Hatton Bank continental margin—III. Structure from wide-angle OBS and multichannel seismic refraction profiles (Morgan, J.V., Barton, P.J., White, R.S.), **98**, 367

Convection

Topography and geoid undulations caused by small-scale convection beneath continental lithosphere of variable elastic thickness (Marquart, G., Schmeling, H.), **97**, 511
A benchmark comparison for mantle convection codes (Blankenbach, B., Busse, F., Christensen, U., Cserepes, L., Gunkel, D., Hansen, U., Harder, H., Jarvis, G., Koch, M., Marquart, G., Moore, D., Olson, P., Schmeling, H., Schnaubelt, T.), **98**, 23
Mantle convection model with a dynamic plate: topography, heat flow and gravity anomalies (Davies, G.F.), **98**, 461

Core–mantle boundary

Confidence set inference with a prior quadratic bound (Backus, G.E.), **97**, 119

Cracked media

Pressure dependence of permeability : a model for cracked rocks (Gavrilenko, P., Gueguen, Y.), **98**, 159

Cracks

A model of foreshock occurrence (Yamashita, T., Knopoff, L.), **96**, 389

Crustal structure

Crustal heterogeneity in South Australia, earthquake evidence (Greenhalgh, S.A., Tapley, D., Singh, R.), **96**, 85
Crustal structure and possible anisotropy in Turkey from seismic surface wave dispersion (Mindevalli, O.Y., Mitchell, B.J.), **98**, 93
Long-period precursors to pP from deep-focus earthquakes: the Moho underside reflection pMP (Schenk, T., Müller, G., Brüstle, W.), **98**, 317

Crystallography

A Continuum theory for lattice preferred orientation (Ribe, N.M.), **97**, 199

Dead Sea region

Microearthquake activity in the Dead Sea region (van Eck, T., Hofstetter, A.), **99**, 615

Deep drilling

Book review, Deep Drilling in Crystalline Bedrock, Volumes 1 and 2 (Bodén, A., Eriksson, K.G.), **99**, 817

Deep seismic reflection

Water in the lower continental crust: modelling magnetotelluric and seismic reflection results (Hyndman, R.D., Shearer, P.M.), **98**, 343
Deep seismic reflection processing in the complex demodulate domain: basic theory and application to residual static estimation (Roberts, R.G., Dahl-Jensen, T.), **98**, 543

Deflection

The accuracy of some lithospheric bending parameters (McQueen, H.W.S., Lambeck, K.), **96**, 401

Deformation

Elasto-gravitational deformation, relative gravity changes and earth dynamics (Hinderer, J., Legros, H.), **97**, 513

Diapir

Holographic measurements of surface topography in laboratory models of mantle hotspots (Griffiths, R.W., Gurnis, M., Eitelberg, G.), **96**, 477

Diffraction

Corrections for grazing rays in 2-D seismic modelling (Thomson, C.J.), **96**, 415

Dislocation theory

A dislocation model for the earthquake cycle at convergent plate boundaries (Matsu'ura, M., Sato, T.), **96**, 23
Aseismic–seismogenic coupling for a long strike–slip fault (Husseini, M.I.), **97**, 391

Drill cores

Residual stress features in drill cores (Zang, A., Berckhemer, H.), **99**, 631

Earth dynamics

Elasto-gravitational deformation, relative gravity changes and earth dynamics (Hinderer, J., Legros, H.), **97**, 513

(Earthquake catalogue)

A revised and extended earthquake catalogue for Greece since 1900 (Makropoulos, K.C., Drakopoulos, J.K., Latousakis, J.B.), **98**, 391

Earthquakes

A dislocation model for the earthquake cycle at convergent plate boundaries (Matsu'ura, M., Sato, T.), **96**, 23
A reinterpretation of the precursory seismic *b*-value anomaly from fracture mechanics (Main, I.G., Meredith, P.G., Jones, C.), **96**, 131
Modal synthesis of high-frequency waves in Scotland (MacBeth, C.D., Panza, G.F.), **96**, 353
A model of foreshock occurrence (Yamashita, T., Knopoff, L.), **96**, 389
Strong ground motion in normal-faulting earthquakes (Westaway, R., Smith, R.B.), **96**, 529
Use of geostatistics for accurate mapping of earthquake ground motion (Carr, J.R., Glass, C.E.), **97**, 31
A model for internal dynamical processes on Mt Etna (Cosentino, M., Lombardo, G., Privitera, E.), **97**, 367
Aseismic–seismogenic coupling for a long strike–slip fault (Husseini, M.I.), **97**, 391
The Makran earthquake of 1983 April 18: A possible analogue to the Puget Sound earthquake of 1965? (Laane, J.L., Chen, W.-P.), **98**, 1
Spectral characteristics of the 1986 September 13 Kalamata (southern Greece) earthquake (Stavrakakis, G.N., Drakopoulos, J., Latoussakis, J., Papanastassiou, D., Drakatos, G.), **98**, 149
A revised and extended earthquake catalogue for Greece since 1900 (Makropoulos, K.C., Drakopoulos, J.K., Latousakis, J.B.), **98**, 391
Seismological and field observations of the 1984 Lazio–Abruzzo earthquakes: implications for the active tectonics of Italy (Westaway, R., Gawthorpe, R., Tozzi, M.), **98**, 489
The seismic disturbance on 1986 August 1 near Novaya Zemlya: a source of concern? (Marshall, P.D., Stewart, R.C., Lilwall, R.C.), **98**, 565
Seismotectonics and the earthquake frequency–magnitude distribution in the Aegean area (Main, I.G., Burton, P.W.), **98**, 575
Fault plane solutions of earthquakes and active tectonics of the Tibetan Plateau and its margins (Molnar, P., Lyon-Caen, H.), **99**, 123
Heterogeneity of the 1980 Izu–Hanto–Toho–Oki earthquake rupture process (Fukuyama, E., Irikura, K.), **99**, 721
Active tectonics of the Algerian Atlas Mountains—evidence from aftershocks of the 1980 El Asnam earthquake (Yielding, G., Onyed, M., King, G.C.P., Hatzfeld, D.), **99**, 771
Resonant response models for the Valley of Mexico—I; the elastic inclusion approach (Seligman, T.H., Alvarez-Tostado, J.M., Mateos, J.L., Flores, J., Novaro, O.), **99**, 799

Earthquake source mechanism

The Makran earthquake of 1983 April 18: A possible analogue to the Puget Sound earthquake of 1965? (Laane, J.L., Chen, W.-P.), **98**, 1
Possible focal mechanism change during reactivation of a previously ruptured subduction zone and stress tensor implications (Tajima, F., Célérier, B.), **98**, 301
The seismic disturbance on 1986 August 1 near Novaya Zemlya: a source of concern? (Marshall, P.D., Stewart, R.C., Lilwall, R.C.), **98**, 565

Earthquake sources

Choosing the 'best' double couple from a moment-tensor inversion (Strelitz, R.A.), **99**, 811

Earth's core

Ellipticity and density at the inner core boundary from subcritical PKiKP and PcP data (Souriau, A., Souriau, M.), **98**, 39
On the use of horizontal components of magnetic field in determining core motions (Barraclough, D., Gubbins, D., Kerridge, D.) **98**, 293
The possibility of lateral structure inside the core and its implications for nutation and Earth tide observations (Wahr, J., de Vries, D.), **99**, 511

Earth's crust

Water in the lower continental crust: modelling magnetotelluric and seismic reflection results (Hyndman, R.D., Shearer, P.M.), **98**, 343

Earth's lithosphere

A fine structural section through the crust and lower lithosphere along the axial region of the alps (Yan, Q.Z., Mechie, J.), **98**, 465

Earth's mantle

A benchmark comparison for mantle convection codes (Blankenbach, B., Busse, F., Christensen, U., Cserepes, L.,

Gunkel, D., Hansen, U., Harder, H., Jarvis, G., Koch, M., Marquart, G., Moore, D., Olson, P., Schmeling, H., Schnaubelt, T.), **98**, 23
Mantle flow induced by back arc spreading (Ribe, N.M.), **98**, 85
Rheological models and interpretation of postglacial uplift (Körnig, M., Müller, G.), **98**, 243
Lateral heterogeneities in mantle viscosity and post-glacial rebound (Gasperini, P., Sabadini, R.) **98**, 413
Mantle convection model with a dynamic plate: topography, heat flow and gravity anomalies (Davies, G.F.), **98**, 461

Earth's rotation

Earth's rotation and solar activity (Mazzarella, A., Palumbo, A.), **97**, 181

Earth tides

Asymptotic behaviour of solutions to Laplace's tidal equations at low frequencies (Molodensky, S.M.), **97**, 459
The effect of mantle inelasticity on tidal gravity: a comparison between the spherical and the elliptical Earth model (Dehant, V., Zschau, J.), **97**, 549

East Pacific Rise

Mechanisms of lithospheric extension at mid-ocean ridges (Lin, J., Parmentier, E.M.), **96**, 1

Edge wave superposition

The edge wave superposition method (2-D scalar problem) (Klem-Musatov, K.D., Aizenberg, A.M.), **99**, 351

Eigen solutions

Coupling between the multiplets of laterally heterogeneous earth models (Tsuboi, S., Geller, R.J.), **96**, 371

Elastic wave theory

Elastic ray-Born l_2-migration/inversion (Beydoun, W.B., Mendes, M.), **97**, 151

(Electrical resistivity)

Water in the lower continental crust: modelling magnetotelluric and seismic reflection results (Hyndman, R.D., Shearer, P.M.), **98**, 343

Electromagnetic (EM) methods

A spatial and spectral analysis of the electromagnetic sensitivity in a layered earth (Boerner, D.E., West, G.F.), **98**, 11

Electromagnetic induction

Estimation of the magnetic fields of current channels in magnetovariational data (Wang, X., Samson, J.C., Gough, D.I.), **96**, 381
The completion of the c-response function for utilization in exact inversion procedures (Yee, E., Paulson, K.V.), **97**, 41
A high-resolution spectral study of audiomagnetotelluric data and noise interactions (Tzanis, A., Beamish, D.), **97**, 557

Electromagnetic methods

Deep transient electromagnetic soundings with a grounded source over near-surface conductors (Newman, G.A.), **98**, 587

Electromagnetic modelling

A generalized representation of the electromagnetic fields in a layered earth (Boerner, D.E., West, G.F.), **97**, 529

Electromagnetic surveys

A controlled-source, time-domain electromagnetic survey over an upthrust section of Archean crust in the Kapuskasing Structural Zone (Kurtz, R.D., Macnae, J.C., West, G.F.), **99**, 195

Electromagnetism

Estimation of the magnetic fields of current channels in magnetovariational data (Wang, X., Samson, J.C., Gough, D.I.), **96**, 381
Three-dimensional time-domain electromagnetic modelling using a compact finite-element frequency-stepping method (Gupta, P.K., Raiche, A.P., Sugeng, F.), **96**, 457
A strong topographic valley effect in AMT and VLF-R measurements (Fischer, G.), **96**, 469
A generalized representation of the electromagnetic fields in a layered earth (Boerner, D.E., West, G.F.), **97**, 529

EM modelling

A spatial and spectral analysis of the electromagnetic sensitivity in a layered earth (Boerner, D.E., West, G.F.), **98**, 11
A finite-difference algorithm for the transient electromagnetic response of a three-dimensional body (Adhidjaja, J.I., Hohmann, G.W.), **98**, 233

Euro-Mediterranean area

Lare-scale *P*-velocity structures in the Euro-Mediterranean area (Granet, M., Trampert, J.), **99**, 593

Expanding spread profiles

The Hatton Bank continental margin—I. Shallow structure from two-ship expanding spread seismic profiles (Spence, G.D., White, R.S., Westbrook, G.K., Fowler, S.R.), **96**, 273

Explosion seismology

A fine structural section through the crust and lower lithosphere along the axial region of the alps (Yan, Q.Z., Mechie, J.), **98**, 465

Fault models

Exactly solvable two-fault model with seismic radiation (Lomnitz-Adler, J., Peréz Pascual, R.) **98**, 131
Coupled seismic faults and the predictability of earthquakes by means of deterministic models (Lomnitz-Adler, J., Peréz Pascual, R.), **98**, 143

Fault-slip zones

On fault slip zones in the external shear-field separated by a high rigidity asperity (barrier)—inplane and antiplane strain models (Rybicki, K.R.), **96**, 101

Fault tectonics

Inversion of field data in fault tectonics to obtain the regional

stress—II. Using conjugate fault sets within heterogeneous families for computing palaeostress axes (Huang, Q., Angelier, J.), **96**, 139

Finite difference method

Three-dimensional numerical modelling of thermal transfer through the Vittel aquifer (Vosges, France), including approximated topographical effects (Danis, M., Quintard, M.), **96**, 343

Finite differences

Finite-difference technique for *SH*-waves in 2-D media using irregular grids—application to the seismic response problem (Moczo, P.), **99**, 321

Flow imaging

Tomographic reconstruction of 2-D vector fields: application to flow imaging (Norton, S.J.), **97**, 173

Fluid core

Asymptotic behaviour of decay rates of internal waves in a rotating stratified spherical shell (Friedlander, S.), **96**, 245

Fluid flow

Simple models of fluid flow at the core surface derived from geomagnetic field models (Bloxham, J.), **99**, 173

Foreshocks

A model of foreshock occurrence (Yamashita, T., Knopoff, L.), **96**, 389

Fracture mechanics

A reinterpretation of the precursory seismic *b*-value anomaly from fracture mechanics (Main, I.G., Meredith, P.G., Jones, C.), **96**, 131

France

Thin crustal layering in Northern France: observations and modelling of the P_MP spectral content (Paul, A., Nicollin, F.), **99**, 229

Fréchet derivatives

Fréchet derivatives and single scattering theory (Boerner, D.E., West, G.F.), **98**, 385

Free oscillations

Thomson–Haskell matrix method for free spheroidal elastic oscillations (Martinec, Z.), **98**, 195
Multiplet coupling of the normal modes of an elliptical, transversely isotropic earth (Henson, I.H.), **98**, 457

Gaussian beam method

A new approach to Gaussian beams on a sphere: theory and application to long-period surface wave propagation (Friederich, W.), **99**, 259
Gaussian packets in the computation of seismic wavefields (Klimeš, L.), **99**, 421421

Geodesy

Book review, GPS Techniques Applied to Geodesy and Surveying. Lecture Notes in Earth Sciences, Vol. 19 (Groten, E., Strauss, R.), **99**, 823

Geoid

Effects of isostasy on large-scale geoid signal—I. Geoid anomaly over an earth-like planet (Hofstetter, A., Lister, C.R.B.), **97**, 59
Effects of isostasy on large-scale geoid signal—II. Geoid anomaly over the earth (Hofstetter, A., Lister, C.R.B.), **97**, 75
Topography and geoid undulations caused by small-scale convection beneath continental lithosphere of variable elastic thickness (Marquart, G., Schmeling, H.), **97**, 511

Geomagnetic data

Computer *K*-index estimation by a new linear-phase, robust, non-linear smoothing method (Hattingh, M., Loubser, L., Nagtegaal, D.), **99**, 533

Geomagnetic field

Modelling the Earth's geomagnetic field to high degree and order (Schmitz, D.R., Meyer, J., Cain, J.C.), **97**, 421
Derivation of a geomagnetic model to $n = 63$ (Cain, J.C., Wang, Z., Klurth, C., Schmitz, D.R.), **97**, 431
The geomagnetic spectrum for 1980 and core–crustal separation (Cain, J.C., Wang, Z., Schmitz, D.R., Meyer, J.), **97**, 443

Geomagnetic field models

Simple models of fluid flow at the core surface derived from geomagnetic field models (Bloxham, J.), **99**, 173

Geomagnetic secular variation

On the use of horizontal components of magnetic field in determining core motions (Barraclough, D., Gubbins, D., Kerridge, D.), **98**, 293

Geomagnetism

Modelling the Earth's geomagnetic field to high degree and order (Schmitz, D.R., Meyer, J., Cain, J.C.), **97**, 421
Derivation of a geomagnetic model to $n = 63$ (Cain, J.C., Wang, Z., Klurth, C., Schmitz, D.R.), **97**, 431
The geomagnetic spectrum for 1980 and core–crustal separation (Cain, J.C., Wang, Z., Schmitz, D.R., Meyer, J.), **97**, 443
On the use of horizontal components of magnetic field in determining core motions (Barraclough, D., Gubbins, D., Kerridge, D.), **98**, 293

Geostatistics

Use of geostatistics for accurate mapping of earthquake ground motion (Carr, J.R., Glass, C.E.), **97**, 31

Geothermal evaluation

Three-dimensional numerical modelling of thermal transfer through the Vittel aquifer (Vosges, France), including approximated topographical effects (Danis, M., Quintard, M.), **96**, 343

Geothermics

Crustal structure of the Ischia–Phlegrean geothermal fields, near Naples, Italy, from gravity and aeromagnetic data (Rapolla, A., Fedi, M., Fiume, M.G.), **97**, 409
An inverse approach to heat flow study in hydrologically active areas (Wang, K., Beck, A.E.), **98**, 69

Glacial rebound

Rheological models and interpretation of postglacial uplift (Körnig, M., Müller, G.), **98**, 243
Lateral heterogeneities in mantle viscosity and post-glacial rebound (Gasperini, P., Sabadini, R.) **98**, 413

Goethite

Magnetic properties of natural goethite—I. Grain-size dependence of some low- and high-field related rockmagnetic parameters measured at room temperature (Dekkers, M.J.), **97**, 323
Magnetic properties of natural goethite—II. TRM behaviour during thermal and alternating field demagnetization and low-temperature treatment (Dekkers, M.J.), **97**, 341

Gravity

Basement magnetization estimates by wavenumber domain analysis of magnetic and gravity maps (Muniruzzaman, M., Banks, R.J.), **97**, 103
A comparison of the Moho interpreted from gravity data and from deep seismic reflection data in the northern North Sea (Holliger, K., Klemperer, S.L.), **97**, 247
Crustal structure of the Ischia–Phlegrean geothermal fields, near Naples, Italy, from gravity and aeromagnetic data (Rapolla, A., Fedi, M., Fiume, M.G.), **97**, 409
Elasto-gravitational deformation, relative gravity changes and earth dynamics (Hinderer, J., Legros, H.), **97**, 513
The Vardar ophiolite: a continuous belt under the Axios basin sediments (Kiriakidis, L.G.), **98**, 203
The decay of the spectrum of the gravitational potential and the topography for the Earth (Rapp, R.H.), **99**, 449

Gravity anomalies

Constraints on the deep structure and dynamic processes beneath the Alps and adjacent regions from an analysis of gravity anomalies (Lyon-Caen, H., Molnar, P.), **99**, 19

Gravity couple

Multigenetic gravity couple across a modern convergent margin: inheritance from Cretaceous asymmetric extension (Kamp, P.J.J., Hegarty, K.A.), **96**, 33

Gravity field

Critical paths and topological structure of the Earth's gravity field (Bocchio, F.), **98**, 623

Gravity maps

Book Review, Interpretation of filtered gravity maps (Steiner, F., Zilahi-Sebess, L.), **99**, 825

Gravity methods

A contribution to precision microgravity data analysis using Lacoste and Romberg gravity meters (Rymer, H.), **97**, 311

Grazing rays

Corrections for grazing rays in 2-D seismic modelling (Thomson, C.J.), **96**, 415

Greece

Spectral characteristics of the 1986 September 13 Kalamata (southern Greece) earthquake (Stavrakakis, G.N., Drakopoulos, J., Latoussakis, J., Papanastassiou, D., Drakatos, G.), **98**, 149
A revised and extended earthquake catalogue for Greece since 1900 (Makropoulos, K.C., Drakopoulos, J.K., Latousakis, J.B.), **98**, 391
A microearthquake study in the Gulf of Patras region, western Greece, and its seismotectonic interpretation (Melis, N.S., Brooks, M., Pearce, R.G.), **98**, 515

Hatton Bank

The Hatton Bank continental margin—I. Shallow structure from two-ship expanding spread seismic profiles (Spence, G.D., White, R.S., Westbrook, G.K., Fowler, S.R.), **96**, 273
The Hatton Bank continental margin—II. Deep structure from two-ship expanding spread seismic profiles (Fowler, S.R., White, R.S., Spence, G.D., Westbrook, G.K.), **96**, 295

History of geophysics

Book review, Past, Present and Future Trends in Geophysical Research: Selected Papers from the Symposia of the Interdivisional Commission on History of IAGA during the IUGG General Assembly held in Vancouver, 1987 (Schroder, W.), **99**, 253

Hotspots

Holographic measurements of surface topography in laboratory models of mantle hotspots (Griffiths, R.W., Gurnis, M., Eitelberg, G.), **96**, 477

Hybrid method

2-D wave propagation by a hybrid method (Emmerich, H.), **99**, 307

Hydrology

An inverse approach to heat flow study in hydrologically active areas (Wang, K., Beck, A.E.), **98**, 69

Igneous rock

On the lognormal distribution of oxides in igneous rocks, using magnetic susceptibility as a proxy for oxide mineral concentration (Latham, A.G., Harding, K.L., Lapointe, P., Morris, W.A., Balch, S.J.), **96**, 179

Inhomogeneous media

Synthetic seismograms in laterally heterogeneous, anelastic media by modal summation of *P–SV*-waves (Vaccari, F., Gregersen, S., Furlan, M., Panza, G.F.), **99**, 285
Peculiarities of surface wave fields in laterally inhomogeneous media in the framework of ray theory (Yanovskaya, T.B., Roslov, Y. V.), **99**, 297
Interpretation of surface wave spectra in laterally inhomogeneous media (Malischewsky, P.), **99**, 305

Precursors to *P'P'* re-examined using broad band data (Davis, J.P., Kind, R., Sacks, I.S.), **99**, 605

Instrumentation

An instrument for measuring the axial remanent magnetization of long sediment cores (Noel, M., Pickering, M., Molyneux, L.), **97**, 95

Integral transforms

Quaternionic methods in integral transforms of geophysical interest (Davies, A.J., Foot, R., Joshi, G.C., McKellar, B.H.J.), **99**, 589

Internal waves

Asymptotic behaviour of decay rates of internal waves in a rotating stratified spherical shell (Friedlander, S.), **96**, 245

Invariant imbedding

The reflection and transmission of plane *P*- and *S*-waves by a continuously stratified band: a new approach using invariant imbedding (Tromp, J., Snieder, R.), **96**, 447

Inverse method

An experiment to invert *Seasat* altimetry for the Mediterranean and Black Sea mean surfaces (Mazzega, P., Houry, S.), **96**, 259

Inverse problem

Confidence set inference with a prior quadratic bound (Backus, G.E.), **97**, 119
Elastic ray-Born l_2-migration/inversion (Beydoun, W.B., Mendes, M.), **97**, 151
An inverse approach to heat flow study in hydrologically active areas (Wang, K., Beck, A.E.), **98**, 69
Linear and non-linear appraisal using extremal models of bounded variation (Dosso, S.E., Oldenburg, D.W.), **99**, 483

Inverse theory

A treatment of ill-conditioned systems in expansions of group velocity Raleigh waves (Carbonell, R., Lana, X.), **97**, 51
On the use of conjugate gradient to calculate the eigenvalues and singular values of large, sparse matrices (Scales, J.A.), **97**, 167
Fréchet derivatives and single scattering theory (Boerner, D.E., West, G.F.), **98**, 385

Inversion

Inversion of waveforms for extreme source models with an application to the isotropic moment tensor component (Vasco, D.W., Johnson, L.R.), **97**, 1
Comparison of iterative back-projection inversion and generalized inversion without blocks: case studies in attenuation tomography (Ho-Liu, P., Montagner, J.-P., Kanamori, H.), **97**, 19
The completion of the *c*-response function for utilization in exact inversion procedures (Yee, E., Paulson, K.V.), **97**, 41
Confidence set inference with a prior quadratic bound (Backus, G.E.), **97**, 119
Determination of the seabed porosity and shear modulus profiles using a gravity wave inversion (Yamamoto, T., Trevorrow, M.V., Badiey, M., Turgut, A.), **98**, 173

Isostasy

Effects of isostasy on large-scale geoid signal—I. Geoid anomaly over an earth-like planet (Hofstetter, A., Lister, C.R.B.), **97**, 59
Effects of isostasy on large-scale geoid signal—II. Geoid anomaly over the earth (Hofstetter, A., Lister, C.R.B.), **97**, 75

Italy

Crustal structure of the Ischia–Phlegrean geothermal fields, near Naples, Italy, From gravity and aeromagnetic data (Rapolla, A., Fedi, M., Fiume, M.G.), **97**, 409
Seismological and field observations of the 1984 Lazio–Abruzzo earthquakes: implications for the active tectonics of Italy (Westaway, R., Gawthorpe, R., Tozzi, M.), **98**, 489

Japan

Palaeomagnetism of stalagmites (speleothems) in SW Japan (Morinaga, H., Inokuchi, H., Yaskawa, K.), **96**, 519
Two-dimensional coda Q structure beneath Tohoku, NE Japan (Matsumoto, S., Hasegawa, A.), **99**, 101
Heterogeneity of the 1980 Izu–Hanto–Toho–Oki earthquake rupture process (Fukuyama, E., Irikura, K.), **99**, 721

Laboratory studies

Light, radiofrequency emission and ionization effects associated with rock fracture (Martelli, G., Smith, P.N., Woodward, A.J.), **98**, 397

Lateral heterogeneity

Three-dimensional modelling of upper mantle structure under the Pacific Ocean and surrounding area (Zhang, Y.S., Tanimoto, T.), **98**, 255
Seismic representation theorem coupling: synthetic SH mode sum seismograms for non-homogeneous paths (Regan, J., Harkrider, D.G.) **98**, 429
On the nature of regional seismic phases—I. Phase representations for Pn, Pg, Sn, Lg (Kennett, B.L.N.) **98**, 447

Lithosphere

The accuracy of some lithospheric bending parameters (McQueen, H.W.S., Lambeck, K.), **96**, 401
Efficient calculation of differential seismograms for lithospheric receiver functions (Randall, E.) **99**, 469
Azimuthal anisotropy in the lithosphere from observations of long-period *S*-waves (Vinnik, L.P., Kind, R., Kosarev, G.L., Makeyeva, L.I.), **99**, 549
Non-linear asymptotic solution to Stefan-like problems and the validity of the linear approximation (Gliko, A.O., Mareschal, J.C.), **99**, 561

Lithospheric deformation

Mechanisms of lithospheric extension at mid-ocean ridges (Lin, J., Parmentier, E.M.), **96**, 1

Magnetic anomalies

Basement magnetization estimates by wavenumber domain analysis of magnetic and gravity maps (Muniruzzaman, M., Banks, R.J.), **97**, 103
Crustal structure of the Ischia–Phlegrean geothermal fields, near Naples, Italy, From gravity and aeromagnetic data (Rapolla, A., Fedi, M., Fiume, M.G.), **97**, 409

Magnetics

The Vardar ophiolite: a continuous belt under the Axios basin sediments (Kiriakidis, L.G.), **98**, 203

Magnetic susceptibility

On the lognormal distribution of oxides in igneous rocks, using magnetic susceptibility as a proxy for oxide mineral concentration (Latham, A.G., Harding, K.L., Lapointe, P., Morris, W.A., Balch, S.J.), **96**, 179

Magnetization

Rockmagnetic properties of fine-grained natural low-temperature hematite with reference to remanence acquisition mechanisms in red beds (Dekkers, M.J., Linssen, J.H.), **99**, 1

Magnetotellurics

A strong topographic valley effect in AMT and VLF-R measurements (Fischer, G.), **96**, 469
The completion of the *c*-response function for utilization in exact inversion procedures (Yee, E., Paulson, K.V.), **97**, 41
Water in the lower continental crust: modelling magnetotelluric and seismic reflection results (Hyndman, R.D., Shearer, P.M.), **98**, 343

Magnetotelluric transfer function

Transfer functions: smooth robust estimates by least-squares and remote reference methods (Larsen, J.C.), **99**, 655

Magnetovariation

Estimation of the magnetic fields of current channels in magnetovariational data (Wang, X., Samson, J.C., Gough, D.I.), **96**, 381

Mantle

The effect of mantle inelasticity on tidal gravity: a comparison between the spherical and the elliptical Earth model (Dehant, V., Zschau, J.), **97**, 549

Mantle convection

A benchmark comparison for mantle convection codes (Blankenbach, B., Busse, F., Christensen, U., Cserepes, L., Gunkel, D., Hansen, U., Harder, H., Jarvis, G., Koch, M., Marquart, G., Moore, D., Olson, P., Schmeling, H., Schnaubelt, T.), **98**, 23
Mantle convection model with a dynamic plate: topography, heat flow and gravity anomalies (Davies, G.F.), **98**, 461
On Nusselt numbers and the relative resolution of plumes and boundary layers in mantle convection (Jarvis, G.T., Mitrovica, J.X.), **99**, 497
A model for the formation of intracratonic sag basins (Middleton, M.F.), **99**, 675

Mantle discontinuities

Precursors to *P'P'* re-examined using broad band data (Davis, J.P., Kind, R., Sacks, I.S.), **99**, 605

Mantle flow

Mantle flow induced by back arc spreading (Ribe, N.M.), **98**, 85

Mantle plumes

Holographic measurements of surface topography in laboratory models of mantle hotspots (Griffiths, R.W., Gurnis, M., Eitelberg, G.), **96**, 477

Mantle rheology

Late Pleistocene and Holocene sea-level change in the Australian region and mantle rheology (Nakada, M., Lambeck, K.), **96**, 497

Mantle structure

Three-dimensional modelling of upper mantle structure under the Pacific Ocean and surrounding area (Zhang, Y.S., Tanimoto, T.), **98**, 255

Mediterranean Sea

An experiment to invert *Seasat* altimetry for the Mediterranean and Black Sea mean surfaces (Mazzega, P., Houry, S.), **96**, 259

Mexico

Resonant response models for the Valley of Mexico—I; the elastic inclusion approach (Seligman, T.H., Alvarez-Tostado, J.M., Mateos, J.L., Flores, J., Novaro, O.), **99**, 799

Microearthquakes

Extension related to a high topography: results from a microearthquake survey in the Andes of Peru and tectonic implications (Deverchère, J., Dorbath, C., Dorbath, L.), **98**, 281
A microearthquake study in the Gulf of Patras region, western Greece, and its seismotectonic interpretation (Melis, N.S., Brooks, M., Pearce, R.G.), **98**, 515
Microearthquake activity in the Dead Sea region (van Eck, T., Hofstetter, A.), **99**, 615

Microgravity

A contribution to precision microgravity data analysis using Lacoste and Romberg gravity meters (Rymer, H.), **97**, 311

Microseismicity

Observations of microseismicity in the southern Kuril Trench area by arrays of ocean bottom seismometers (Hirata, N., Kanazawa, T., Suyehiro, K., Iwasaki, T., Shimamura, H.), **98**, 55

Mid-Atlantic Ridge

Mechanisms of lithospheric extension at mid-ocean ridges (Lin, J., Parmentier, E.M.), **96**, 1

Mineralogy

Mineralogy, porosity and fluid control on thermal conductivity of sedimentary rocks (Brigaud, F., Vasseur, G.), **98**, 525

Mining related events

Source study of local coalfield events using the modal synthesis of

shear and surface waves (MacBeth, C.D., Redmayne, D.W.), **99**, 155

Mode coupling

Coupling between the multiplets of laterally heterogeneous earth models (Tsuboi, S., Geller, R.J.), **96**, 371

(Moho reflection)

Long-period precursors to pP from deep-focus earthquakes: the Moho underside reflection pMP (Schenk, T., Müller, G., Brüstle, W.), **98**, 317

MSS (mean sea surface)

An experiment to invert *Seasat* altimetry for the Mediterranean and Black Sea mean surfaces (Mazzega, P., Houry, S.), **96**, 259

Mt Etna

A model for internal dynamical processes on Mt Etna (Cosentino, M., Lombardo, G., Privitera, E.), **97**, 367

N. America

Palaeomagnetic results from the Indian Heaven volcanic field, south-central Washington (Mitchell, R.J., Jaeger, D.J., Diehl, J.F., Hammond, P.E.), **97**, 381

Non-geometric waves

Non-geometrical waves—are there any? An asymptotic description of some 'non-geometrical" phenomena in seismic wave propagation (Babich, V.M., Kiselev, A.P.), **99**, 415

Normal faulting

Strong ground motion in normal-faulting earthquakes (Westaway, R., Smith, R.B.), **96**, 529
Seismological and field observations of the 1984 Lazio–Abruzzo earthquakes: implications for the active tectonics of Italy (Westaway, R., Gawthorpe, R., Tozzi, M.), **98**, 489

Normal modes of the Earth

Multiplet coupling of the normal modes of an elliptical, transversely isotropic earth (Henson, I.H.), **98**, 457

North Atlantic

A low-velocity zone within the layer 3 region of 118 Myr old oceanic crust in the western North Atlantic (Mithal, R., Mutter, J.C.), **97**, 275
The Hatton Bank continental margin—III. Structure from wide-angle OBS and multichannel seismic refraction profiles (Morgan, J.V., Barton, P.J., White, R.S.), **98**, 367

North Sea

A comparison of the Moho interpreted from gravity data and from deep seismic reflection data in the northern North Sea (Holliger, K., Klemperer, S.L.), **97**, 247
Numerical modelling of *Lg* wave propagation across the North Sea Central Graben (Maupin, V.), **99**, 273

Nova Scotia

Dual-polarity early Carboniferous remagnetization of the Fisset Brook Formation, Cape Breton Island, Nova Scotia (Johnson, R.J.E., Van der Voo, R.), **97**, 259

Nutation

The possibility of lateral structure inside the core and its implications for nutation and Earth tide observations (Wahr, J., de Vries, D.), **99**, 511

Oceanic crust

A low-velocity zone within the layer 3 region of 118 Myr old oceanic crust in the western North Atlantic (Mithal, R., Mutter, J.C.), **97**, 275

Ocean model

Asymptotic behaviour of solutions to Laplace's tidal equations at low frequencies (Molodensky, S.M.), **97**, 459

Ophiolites

The Vardar ophiolite: a continuous belt under the Axios basin sediments (Kiriakidis, L.G.), **98**, 203

Orientation

Inversion of field data in fault tectonics to obtain the regional stress—II. Using conjugate fault sets within heterogeneous families for computing palaeostress axes (Huang, Q., Angelier, J.), **96**, 139

Pacific Ocean

Plate tectonics at an awkward junction: rules for the evolution of Sovanco Ridge area, NE Pacific (Lister, C.R.B.), **96**, 191
The anisotropic structure of the upper mantle in the Pacific (Nishimura, C.E., Forsyth, D.W.), **96**, 203
Three-dimensional modelling of upper mantle structure under the Pacific Ocean and surrounding area (Zhang, Y.S., Tanimoto, T.), **98**, 255

Palaeomagnetic database

The Strasbourg palaeomagnetic database (Westphal, M.), **97**, 361

Palaeomagnetism

Location of the western Pontides, NW Turkey, during Triassic time: preliminary palaeomagnetic results (Saribudak, M., Sanver, M., Ponat, E.), **96**, 43
Directional errors in remanent magnetization of non-cubic soft sediment specimens measured with spinner magnetometers (Steele, W.K.), **96**, 333
Palaeomagnetism of stalagmites (speleothems) in SW Japan (Morinaga, H., Inokuchi, H., Yaskawa, K.), **96**, 519
An instrument for measuring the axial remanent magnetization of long sediment cores (Noel, M., Pickering, M., Molyneux, L.), **97**, 95
Upper Proterozoic and Phanerozoic pole positions and potassium–argon (K–Ar) ages from the East Sahara Craton (Saradeth, S., Soffel, H.C., Horn, P., Müller-Sohnius, D., Schult, A.), **97**, 209
Dual-polarity early Carboniferous remagnetization of the Fisset Brook Formation, Cape Breton Island, Nova Scotia (Johnson, R.J.E., Van der Voo, R.), **97**, 259

The Strasbourg palaeomagnetic database (Westphal, M.), **97**, 361
Palaeomagnetic results from the Indian Heaven volcanic field, south-central Washington (Mitchell, R.J., Jaeger, D.J., Diehl, J.F., Hammond, P.E.), **97**, 381
Drilling-induced remanent magnetization in basalt drill cores (Audunsson, H., Levi, S.), **98**, 613
An application of the combined conglomerate–fold test to the study of foreland basins. Palaeomagnetic results from the southeastern Ebro Basin (Parés, J.M.), **99**, 223
A palaeomagnetic approach to the origin of the Black Sea (Sarıbudak, M.), **99**, 247
New results and a palaeomagnetic overview of the Pontides in northern Turkey (Sarıbudak, M.), **99**, 521
Palaeomagnetism of the Early to Mid-Ordovician Salala igneous ring complex, Red Sea Hills, Sudan (Bachtadse, V., Briden, J.C.), **99**, 687
Petrography and palaeomagnetism of the basalts, southwest Harrat, Rahat, Saudi Arabia (Hussain, A.G., Bakor, A.R.), **99**, 697
A Late Devensian Lateglacial palaeomagnetic record from Llyn Gwernan, North Wales: comparison with other NW European records (Austin, T.J.F., Lowe, J.J.), **99**, 709
On the origin and the tectonic implications of magnetic overprinting of the Old Red Sandstone, Shetland (Torsvik, T.H., Sturt, B.A., Ramsay, D.M.), **99**, 759

Perturbation method

First-order perturbation method for anisotropic media (Jech, J., Pšenčík, I.), **99**, 369
Ray perturbation theory for interfaces (Farra, V., Virieux, J., Madariaga, R.), **99**, 377

Petrography

Petrography and palaeomagnetism of the basalts, southwest Harrat, Rahat, Saudi Arabia (Hussain, A.G., Bakor, A.R.), **99**, 697

Planetary oblateness

Planetary oblateness and evolution of Earth flattening (Fraiture), **99**, 571

Plate tectonics

Plate tectonics at an awkward junction: rules for the evolution of Sovanco Ridge area, NE Pacific (Lister, C.R.B.), **96**, 191
Book review (Tarling, D.H.), **98**, 409

Porosity

Determination of the seabed porosity and shear modulus profiles using a gravity wave inversion (Yamamoto, T., Trevorrow, M.V., Badiey, M., Turgut, A.), **98**, 173
Water in the lower continental crust: modelling magnetotelluric and seismic reflection results (Hyndman, R.D., Shearer, P.M.), **98**, 343
Mineralogy, porosity and fluid control on thermal conductivity of sedimentary rocks (Brigaud, F., Vasseur, G.), **98**, 525

Purturbation method

Ray perturbation theory for heterogeneous hexagonal anisotropic media (Farra, V.), **99**, 733

Rayleigh waves

Modal synthesis of high-frequency waves in Scotland (MacBeth, C.D., Panza, G.F.), **96**, 353

Ray method

A method of comparison of exact and asymptotic wave field computations (Kiselev, A.P., Tsvankin, I.K.), **96**, 253

Ray tracing

Ray tracing in azimuthally anisotropic media—I. Results for models of aligned cracks in the upper crust (Shearer, P.M., Chapman, C.H.), **96**, 51
Ray tracing in azimuthally anisotropic media—II. Quasi-shear wave coupling (Chapman, C.H., Shearer, P.M.), **96**, 65
Ray tracing in factorized anisotropic inhomogeneous media (Červený, V.), **99**, 91
First-order perturbation method for anisotropic media (Jech, J., Pšenčík, I.), **99**, 369
Ray perturbation theory for interfaces (Farra, V., Virieux, J., Madariaga, R.), **99**, 377
Common reflecting elements (CRE) ray tracing for the calculation of the global multi-offset time field (Koren, Z., Gelchinsky, B.), **99**, 391
A comment on the form of the geometrical spreading equations, with some numerical examples of seismic ray tracing in inhomogeneous, anisotropic media (Kendall, J.M., Thomson, C.J.), **99**, 401
Non-geometrical waves—are there any? An asymptotic description of some 'non-geometrical" phenomena in seismic wave propagation (Babich, V.M., Kiselev, A.P.), **99**, 415
Ray perturbation theory for heterogeneous hexagonal anisotropic media (Farra, V.), **99**, 733

Red Sea

Transverse structures in the central part of the Red Sea and implications on early stages of oceanic accretion (Izzeldin, A.Y.), **96**, 117
Seismicity and tectonics of the Red Sea and western Arabia (El-Isa, Z.H., Al Shanti, A.), **97**, 449

Remanent

Rockmagnetic properties of fine-grained natural low-temperature haematite with reference to remanence acquisition mechanisms in red beds (Dekkers, M.J., Linssen, J.H.), **99**, 1

Remanent magnetization

Drilling-induced remanent magnetization in basalt drill cores (Audunsson, H., Levi, S.), **98**, 613
Syn-deformational remanent magnetization of the Mount Eclipse Sandstone, central Australia (Li, Z.X., Powell, C.M., Schmidt, P.W.), **99**, 205
Static alternating field demagnetizations of anhysteretic and rotational remanent magnetizations in rocks and synthesized samples (Edwards, J., Desta, M.), **99**, 749

Residual stress

Residual stress features in drill cores (Zang, A., Berckhemer, H.), **99**, 631

Rheology

Rheological models and interpretation of postglacial uplift (Körnig, M., Müller, G.), **98**, 243

Rock fracture

Light, radiofrequency emission and ionization effects associated

with rock fracture (Martelli, G., Smith, P.N., Woodward, A.J.), **98**, 397

Rock magnetism

Magnetic properties of natural goethite—I. Grain-size dependence of some low- and high-field related rockmagnetic parameters measured at room temperature (Dekkers, M.J.), **97**, 323
Magnetic properties of natural goethite—II. TRM behaviour during thermal and alternating field demagnetization and low-temperature treatment (Dekkers, M.J.), **97**, 341

Rupture propagation

A hybrid boundary integral equation method for the conputation of source time functions for 3-D rupture propagation (Quin, H.R., Das, S.X.), **96**, 163

S. America

Extension related to a high topography: results from a microearthquake survey in the Andes of Peru and tectonic implications (Deverchère, J., Dorbath, C., Dorbath, L.), **98**, 281

San Andreas fault

Aseismic-seismogenic coupling for a long strike–slip fault (Husseini, M.I.), **97**, 391

Saudi arabia

Petrography and palaeomagnetism of the basalts, southwest Harrat, Rahat, Saudi Arabia (Hussain, A.G., Bakor, A.R.), **99**, 697

Scattering

The attenuation of surface waves due to scattering (Brandenburg, A., Snieder, R.), **98**, 183
The effect of crustal scattering on observed high-frequency earthquake seismograms (Ebel, J.E.), **98**, 329
Fréchet derivatives and single scattering theory (Boerner, D.E., West, G.F.), **98**, 385

Scotland

Modal synthesis of high-frequency waves in Scotland (MacBeth, C.D., Panza, G.F.), **96**, 353
MAVIS—an upper crustal seismic refraction experiment in the Midland Valley of Scotland (Dentith, M.C., Hall, J.), **99**, 637
On the origin and the tectonic implications of magnetic overprinting of the Old Red Sandstone, Shetland (Torsvik, T.H., Sturt, B.A., Ramsay, D.M.), **99**, 759

Seafloor spreading

Transverse structures in the central part of the Red Sea and implications on early stages of oceanic accretion (Izzeldin, A.Y.), **96**, 117

Sea level

Earth's rotation and solar activity (Mazzarella, A., Palumbo, A.), **97**, 181

Sea-level variation

Late Pleistocene and Holocene sea-level change in the Australian region and mantle rheology (Nakada, M., Lambeck, K.), **96**, 497

Sedimentary basins

Seismic wave resonances in 3-D sedimentary basins (Rial, J.A.), **99**, 81
A model for the formation of intracratonic sag basins (Middleton, M.F.), **99**, 675

Seismic attenuation

The attenuation of surface waves due to scattering (Brandenburg, A., Snieder, R.), **98**, 183

Seismic coda

Two-dimensional coda Q structure beneath Tohoku, NE Japan (Matsumoto, S., Hasegawa, A.), **99**, 101

Seismic data analysis

Real-time event detection, phase indentification and source location estimation using single station three-component seismic data (Roberts, R.G., Christoffersson, A., Cassidy, F.), **97**, 471
Deep seismic reflection processing in the complex demodulate domain: basic theory and application to residual static estimation (Roberts, R.G., Dahl-Jensen, T.), **98**, 543

Seismic discrimination

The time–frequency characteristics of quarry blasts and calibration explosions recorded in Kazakhstan
USSR (Hedlin, M.A.H., Minster, J.B., Orcutt, J.A.), **99**, 109

Seismic fracture

Exactly solvable two-fault model with seismic radiation (Lomnitz-Adler, J., Peréz Pascual, R.), **98**, 131
Coupled seismic faults and the predictability of earthquakes by means of deterministic models (Lomnitz-Adler, J., Peréz Pascual, R.), **98**, 143
A stochastic model for fracture growth on a heterogeneous seismic fault (Lomnitz-Adler, J., Lemus-Diaz, P.), **99**, 183

Seismic interrelations

Use of non-parametric correlation tests for the study of seismic interrelations (Albarello, D., Mucciarelli, M., Mantovani, E.), **96**, 185

Seismic inversion

Generalized non-linear elastic inversion with constraints in model and data spaces (Carrion), **96**, 151
Two-dimensional seismic refraction tomography (White, D.J.), **97**, 223
Fréchet derivatives for curved interfaces in the ray approximation (Nowack, R.L., Lyslo, J.A.), **97**, 497
Linearized inversion: a significant step beyond pre-stack migration (Bourgeois, A., Jiang, B.F., Lailly, P.), **99**, 435

Seismicity

Seismicity and tectonics of the Red Sea and western Arabia (El-Isa, Z.H., Al Shanti, A.), **97**, 449
Extension related to a high topography: results from a

microearthquake survey in the Andes of Peru and tectonic implications (Deverchère, J., Dorbath, C., Dorbath, L.), **98**, 281
Possible focal mechanism change during reactivation of a previously ruptured subduction zone and stress tensor implications (Tajima, F., Célérier, B.), **98**, 301
A revised and extended earthquake catalogue for Greece since 1900 (Makropoulos, K.C., Drakopoulos, J.K., Latousakis, J.B.), **98**, 391
Comments on 'Preseismic quiescence before large earthquakes in the Aegean and surrounding area' by Karakaisis *et al.* (1987) (Papadopoulos, G.A.), **98**, 403
Reply on the comments of G.A. Papadopoulos on the paper 'Preseismic quiescence before large earthquakes in the Aegean and surrounding area' (Karakaisis, G.F., Panagiotopoulos, D.G., Krimnianiotou, M.Ch., Papazachos, B.C.), **98**, 405
A microearthquake study in the Gulf of Patras region, western Greece, and its seismotectonic interpretation (Melis, N.S., Brooks, M., Pearce, R.G.), **98**, 515

Seismic modelling

Lateral resolution in seismic reflection—a physical model study (Pant, D.R., Greenhalgh, S.A.), **97**, 187

Seismic networks

Artificial intelligence techniques in seismic signal interpretation (Chiaruttini, C., Roberto, V., Saitta, F.) **98**, 223

Seismic phases

On the nature of regional seismic phases—I. Phase representations for Pn, Pg, Sn, Lg (Kennett, B.L.N.), **98**, 447

Seismic quiescence

Temporary seismic quiescence: SE Turkey (Ambraseys, N.N.), **96**, 311

Seismic reflection

Thin crustal layering in Northern France: observations and modelling of the P_MP spectral content (Paul, A., Nicollin, F.), **99**, 229
Common reflecting elements (CRE) ray tracing for the calculation of the global multi-offset time field (Koren, Z., Gelchinsky, B.), **99**, 391
Linearized inversion: a significant step beyond pre-stack migration (Bourgeois, A., Jiang, B.F., Lailly, P.), **99**, 435
Crustal reflections underneath Lake Vänern, Sweden (Juhlin, C., Dyrelius, D., Lund, C.-E., Palm, H.), **99**, 577

Seismic reflection profiling

A comparison of the Moho interpreted from gravity data and from deep seismic reflection data in the northern North Sea (Holliger, K., Klemperer, S.L.), **97**, 247

Seismic refraction

The Hatton Bank continental margin—III. Structure from wide-angle OBS and multichannel seismic refraction profiles (Morgan, J.V., Barton, P.J., White, R.S.), **98**, 367
MAVIS—an upper crustal seismic refraction experiment in the Midland Valley of Scotland (Dentith, M.C., Hall, J.), **99**, 637

Seismic resolution

Lateral resolution in seismic reflection—a physical model study (Pant, D.R., Greenhalgh, S.A.), **97**, 187

Seismic signal processing

Artificial intelligence techniques in seismic signal interpretation (Chiaruttini, C., Roberto, V., Saitta, F.), **98**, 223
Deep seismic reflection processing in the complex demodulate domain: basic theory and application to residual static estimation (Roberts, R.G., Dahl-Jensen, T.), **98**, 543

Seismic source parameters

Spectral characteristics of the 1986 September 13 Kalamata (southern Greece) earthquake (Stavrakakis, G.N., Drakopoulos, J., Latoussakis, J., Papanastassiou, D., Drakatos, G.), **98**, 149

Seismic source region

The response of two joined quarter spaces to *SH* line sources located at the material discontinuity interface (Ben-Zion, Y.), **98**, 213

Seismic strong motion

Book review, Seismic strong motion synthetics (Bolt, B.A.), **99**, 821

Seismic structure

The Hatton Bank continental margin—I. Shallow structure from two-ship expanding spread seismic profiles (Spence, G.D., White, R.S., Westbrook, G.K., Fowler, S.R.), **96**, 273
The Hatton Bank continental margin—II. Deep structure from two-ship expanding spread seismic profiles (Fowler, S.R., White, R.S., Spence, G.D., Westbrook, G.K.), **96**, 295

Seismic tomography

Crustal heterogeneity in South Australia, earthquake evidence (Greenhalgh, S.A., Tapley, D., Singh, R.), **96**, 85

Seismic wave propogation

On the nature of regional seismic phases—I. Phase representations for Pn, Pg, Sn, Lg (Kennett, B.L.N.) **98**, 447

Seismic waves

Gaussian packets in the computation of seismic wavefields (Klimeš, L.), **99**, 42181
Gaussian packets in the computation of seismic wavefields (Klimeš, L.), **99**, 421

Seismology

Corrections for grazing rays in 2-D seismic modelling (Thomson, C.J.), **96**, 415
Inversion of waveforms for extreme source models with an application to the isotropic moment tensor component (Vasco, D.W., Johnson, L.R.), **97**, 1
A low-velocity zone within the layer 3 region of 118 Myr old oceanic crust in the western North Atlantic (Mithal, R., Mutter, J.C.), **97**, 275
Wave propagation in a vertical transversely isotropic medium: field experiment and model study (Kerner, C., Dyer, B., Worthington, M.), **97**, 295
Ellipticity and density at the inner core boundary from subcritical PKiKP and PcP data (Souriau, A., Souriau, M.), **98**, 39

Exactly solvable two-fault model with seismic radiation (Lomnitz-Adler, J., Peréz Pascual, R.), **98**, 131
Coupled seismic faults and the predictability of earthquakes by means of deterministic models (Lomnitz-Adler, J., Peréz Pascual, R.), **98**, 143
The response of two joined quarter spaces to *SH* line sources located at the material discontinuity interface (Ben-Zion, Y.), **98**, 213
On horizontal wavefunctions in cylindrical coordinates (Mochizuki, E.), **98**, 395
Seismic modelling by Fresnel diffraction theory with application to wide-aperture data from SW Oklahoma (Sun, R., McMechan, G.A.), **98**, 603
Azimuthal anisotropy in the lithosphere from observations of long-period *S*-waves (Vinnik, L.P., Kind, R., Kosarev, G.L., Makeyeva, L.I.), **99**, 549
Lare-scale *P*-velocity structures in the Euro-Mediterranean area (Granet, M., Trampert, J.), **99**, 593

Seismotectonics

The Makran earthquake of 1983 April 18: A possible analogue to the Puget Sound earthquake of 1965? (Laane, J.L., Chen, W.-P.), **98**, 1
A microearthquake study in the Gulf of Patras region, western Greece, and its seismotectonic interpretation (Melis, N.S., Brooks, M., Pearce, R.G.), **98**, 515
Seismotectonics and the earthquake frequency—magnitude distribution in the Aegean area (Main, I.G., Burton, P.W.), **98**, 575

Shear modulus

Determination of the seabed porosity and shear modulus profiles using a gravity wave inversion (Yamamoto, T., Trevorrow, M.V., Badiey, M., Turgut, A.), **98**, 173

Shear stress

On fault slip zones in the external shear-field separated by a high rigidity asperity (barrier)—inplane and antiplane strain models (Rybicki, K.R.), **96**, 101

Soft sediments

Directional errors in remanent magnetization of non-cubic soft sediment specimens measured with spinner magnetometers (Steele, W.K.), **96**, 333

Solar activity

Earth's rotation and solar activity (Mazzarella, A., Palumbo, A.), **97**, 181

Source time functions

A hybrid boundary integral equation method for the conputation of source time functions for 3-D rupture propagation (Quin, H.R., Das, S.X.), **96**, 163

Spain

J.M. An application of the combined conglomerate–fold test to the study of foreland basins. Palaeomagnetic results from the southeastern Ebro Basin (Parés, J.M.), **99**, 223

Spectral analysis

Basement magnetization estimates by wavenumber domain analysis of magnetic and gravity maps (Muniruzzaman, M., Banks, R.J.), **97**, 103
A high-resolution spectral study of audiomagnetotelluric data and noise interactions (Tzanis, A., Beamish, D.), **97**, 557

Spherical harmonics

A complete spherical harmonic approach to luni–solar tides (Dickman, S.R.), **99**, 457

Spherical harmonies

On horizontal wavefunctions in cylindrical coordinates (Mochizuki, E.), **98**, 395

Stalagmites

Palaeomagnetism of stalagmites (speleothems) in SW Japan (Morinaga, H., Inokuchi, H., Yaskawa, K.), **96**, 519

Stephan-like problems

Non-linear asymptotic solution to Stefan-like problems and the validity of the linear approximation (Gliko, A.O., Mareschal, J.C.), **99**, 561

Stress axes

Inversion of field data in fault tectonics to obtain the regional stress—II. Using conjugate fault sets within heterogeneous families for computing palaeostress axes (Huang, Q., Angelier, J.), **96**, 139

Strong ground motion

Strong ground motion in normal-faulting earthquakes (Westaway, R., Smith, R.B.), **96**, 529

Subduction

Observations of microseismicity in the southern Kuril Trench area by arrays of ocean bottom seismometers (Hirata, N., Kanazawa, T., Suyehiro, K., Iwasaki, T., Shimamura, H.), **98**, 55
Mantle flow induced by back arc spreading (Ribe, N.M.), **98**, 85
Finite element modelling of surface wave transmission across regions of subduction (Drake, L.A., Bolt, B.A.), **98**, 271

Sudan

Palaeomagnetism of the Early to Mid-Ordovician Salala igneous ring complex, Red Sea Hills, Sudan (Bachtadse, V., Briden, J.C.), **99**, 687

Surface waves

Crustal structure and possible anisotropy in Turkey from seismic surface wave dispersion (Mindevalli, O.Y., Mitchell, B.J.) **98**, 93
The attenuation of surface waves due to scattering (Brandenburg, A., Snieder, R.), **98**, 183
Finite element modelling of surface wave transmission across regions of subduction (Drake, L.A., Bolt, B.A.), **98**, 271
Surface waves in weakly anisotropic structures: on the use of ordinary or quasi-degenerate perturbation methods (Maupin, V.), **98**, 553
Numerical modelling of *Lg* wave propagation across the North Sea Central Graben (Maupin, V.), **99**, 273
Peculiarities of surface wave fields in laterally inhomogeneous media

in the framework of ray theory (Yanovskaya, T.B., Roslov, Y. V.), **99**, 297
Interpretation of surface wave spectra in laterally inhomogeneous media (Malischewsky, P.), **99**, 305
Book review, Surface Waves and Discontinuities (Malischewsky, P.), **99**, 819

(Surface waves)

Three-dimensional modelling of upper mantle structure under the Pacific Ocean and surrounding area (Zhang, Y.S., Tanimoto, T.), **98**, 255

Sweden

Crustal reflections underneath Lake Vänern, Sweden, (Juhlin, C., Dyrelius, D., Lund, C.-E., Palm, H.), **99**, 577

Synthetic seismograms

The Hatton Bank continental margin—I. Shallow structure from two-ship expanding spread seismic profiles (Spence, G.D., White, R.S., Westbrook, G.K., Fowler, S.R.), **96**, 273
The Hatton Bank continental margin—II. Deep structure from two-ship expanding spread seismic profiles (Fowler, S.R., White, R.S., Spence, G.D., Westbrook, G.K.), **96**, 295
Useful properties of the system matrix for a homogeneous anisotropic visco-elastic solid (Frazer, L.N., Fryer, G.J.), **97**, 173
Wave propagation in a vertical transversely isotropic medium: field experiment and model study (Kerner, C., Dyer, B., Worthington, M.), **97**, 295
Numerical modelling of SH Lg waves in and near continental margins (Regan, J., Harkrider, D.G.), **98**, 107
The Hatton Bank continental margin—III. Structure from wide-angle OBS and multichannel seismic refraction profiles (Morgan, J.V., Barton, P.J., White, R.S.), **98**, 367
Seismic representation theorem coupling: synthetic SH mode sum seismograms for non-homogeneous paths (Regan, J., Harkrider, D.G.), **98**, 429
Seismic modelling by Fresnel diffraction theory with application to wide-aperture data from SW Oklahoma (Sun, R., McMechan, G.A.), **98**, 603
Reflection seismograms in a 3-D elastic model: an isochronal approach (Cao, S., Kennett, B.L.N.), **99**, 63
A new approach to Gaussian beams on a sphere: theory and application to long-period surface wave propagation (Friederich, W.), **99**, 259
Synthetic seismograms in laterally heterogeneous, anelastic media by modal summation of *P–SV*-waves (Vaccari, F., Gregersen, S., Furlan, M., Panza, G.F.), **99**, 285
Finite-difference technique for *SH*-waves in 2-D media using irregular grids—application to the seismic response problem (Moczo, P.), **99**, 321
Synthetic body wave seismograms for laterally varying media containing thin transition layers (Červený, V.), **99**, 331
The edge wave superposition method (2-D scalar problem) (Klem-Musatov, K.D., Aizenberg, A.M.), **99**, 351
Efficient calculation of differential seismograms for lithospheric receiver functions (Randall, E.), **99**, 469

System matrix

Useful properties of the system matrix for a homogeneous anisotropic visco-elastic solid (Frazer, L.N., Fryer, G.J.), **97**, 173

3-D modelling

A finite-difference algorithm for the transient electromagnetic response of a three-dimensional body (Adhidjaja, J.I., Hohmann, G.W.), **98**, 233

TDEM modelling

Three-dimensional time-domain electromagnetic modelling using a compact finite-element frequency-stepping method (Gupta, P.K., Raiche, A.P., Sugeng, F.), **96**, 457

Tectonics

Multigenetic gravity couple across a modern convergent margin: inheritance from Cretaceous asymmetric extension (Kamp, P.J.J., Hegarty, K.A.), **96**, 33
Seismicity and tectonics of the Red Sea and western Arabia (El-Isa, Z.H., Al Shanti, A.), **97**, 449

Thermal conductivity

Mineralogy, porosity and fluid control on thermal conductivity of sedimentary rocks (Brigaud, F., Vasseur, G.), **98**, 525

Tibetan Plateau

Fault plane solutions of earthquakes and active tectonics of the Tibetan Plateau and its margins (Molnar, P., Lyon-Caen, H.), **99**, 123

Tides

A complete spherical harmonic approach to luni–solar tides (Dickman, S.R.), **99**, 457
The possibility of lateral structure inside the core and its implications for nutation and Earth tide observations (Wahr, J., de Vries, D.), **99**, 511

Titanomagnetite

On the lognormal distribution of oxides in igneous rocks, using magnetic susceptibility as a proxy for oxide mineral concentration (Latham, A.G., Harding, K.L., Lapointe, P., Morris, W.A., Balch, S.J.), **96**, 179

Tomography

Comparison of iterative back-projection inversion and generalized inversion without blocks: case studies in attenuation tomography (Ho-Liu, P., Montagner, J.-P., Kanamori, H.), **97**, 19
Tomographic reconstruction of 2-D vector fields: application to flow imaging (Norton, S.J.), **97**, 161
Two-dimensional seismic refraction tomography (White, D.J.), **97**, 223

Topographic valley effect

A strong topographic valley effect in AMT and VLF-R measurements (Fischer, G.), **96**, 469

Topography

Holographic measurements of surface topography in laboratory models of mantle hotspots (Griffiths, R.W., Gurnis, M., Eitelberg, G.), **96**, 477
Topography and geoid undulations caused by small-scale convection beneath continental lithosphere of variable elastic thickness (Marquart, G., Schmeling, H.), **97**, 511
The decay of the spectrum of the gravitational potential and the topography for the Earth (Rapp, R.H.), **99**, 449

Transform faults

Plate tectonics at an awkward junction: rules for the evolution of

Sovanco Ridge area, NE Pacific (Lister, C.R.B.), **96**, 191

Transient electromagnetic methods (TEM)

A finite-difference algorithm for the transient electromagnetic response of a three-dimensional body (Adhidjaja, J.I., Hohmann, G.W.), **98**, 233
Deep transient electromagnetic soundings with a grounded source over near-surface conductors (Newman, G.A.), **98**, 587

Transient wave

A method of comparison of exact and asymptotic wave field computations (Kiselev, A.P., Tsvankin, I.K.), **96**, 253

Transverse structures

Transverse structures in the central part of the Red Sea and implications on early stages of oceanic accretion (Izzeldin, A.Y.), **96**, 117

Triassic

Location of the western Pontides, NW Turkey, during Triassic time: preliminary palaeomagnetic results (Sarıbudak, M., Sanver, M., Ponat, E.), **96**, 43

TRM

Magnetic properties of natural goethite—II. TRM behaviour during thermal and alternating field demagnetization and low-temperature treatment (Dekkers, M.J.), **97**, 341

Turkey

Location of the western Pontides, NW Turkey, during Triassic time: preliminary palaeomagnetic results (Sarıbudak, M., Sanver, M., Ponat, E.), **96**, 43
Temporary seismic quiescence: SE Turkey (Ambraseys, N.N.), **96**, 311
Crustal structure and possible anisotropy in Turkey from seismic surface wave dispersion (Mindevalli, O.Y., Mitchell, B.J.), **98**, 93
New results and a palaeomagnetic overview of the Pontides in northern Turkey (Sarıbudak, M.), **99**, 521

Upper mantle

The anisotropic structure of the upper mantle in the Pacific (Nishimura, C.E., Forsyth, D.W.), **96**, 203

USSR

The time–frequency characteristics of quarry blasts and calibration explosions recorded in Kazakhstan (Hedlin, M.A.H., Minster, J.B., Orcutt, J.A.), **99**, 109

Visco-elasticity

A dislocation model for the earthquake cycle at convergent plate boundaries (Matsu'ura, M., Sato, T.), **96**, 23

Viscosity

Asymptotic behaviour of decay rates of internal waves in a rotating stratified spherical shell (Friedlander, S.), **96**, 245
Rheological models and interpretation of postglacial uplift (Körnig, M., Müller, G.), **98**, 243
Lateral heterogeneities in mantle viscosity and post-glacial rebound (Gasperini, P., Sabadini, R.), **98**, 413

Volcanism

A model for internal dynamical processes on Mt Etna (Cosentino, M., Lombardo, G., Privitera, E.), **97**, 367

Wales

A Late Devensian Lateglacial palaeomagnetic record from Llyn Gwernan, North Wales: comparison with other NW European records (Austin, T.J.F., Lowe, J.J.), **99**, 709

Waveform analysis

Source study of local coalfield events using the modal synthesis of shear and surface waves (MacBeth, C.D., Redmayne, D.W.), **99**, 155

Wave propagation

2-D wave propagation by a hybrid method (Emmerich, H.), **99**, 307

Geophysical journal international author index by volume 99

Adhidjaja, J.I., Hohmann, G.W. A finite-difference algorithm for the transient electromagnetic response of a three-dimensional body, **98**, 233
Aizenberg, A.M. *see* Klem-Musatov, K.D.
Albarello, D., Mucciarelli, M., Mantovani, E. Use of non-parametric correlation tests for the study of seismic interrelations, **96**, 185
Al Shanti, A. *see* El-Isa, Z.H.
Alvarez-Tostado, J.M. *see* Seligman, T.H.
Ambraseys, N.N. Temporary seismic quiescence: SE Turkey, **96**, 311
Angelier, J. *see* Huang, Q.
Audunsson, H., Levi, S. Drilling-induced remanent magnetization in basalt drill cores, **98**, 613
Austin, T.J.F., Lowe, J.J. A Late Devensian Lateglacial palaeomagnetic record from Llyn Gwernan, North Wales: comparison with other NW European records, **99**, 709

Babich, V.M., Kiselev, A.P. Non-geometrical waves—are there any? An asymptotic description of some 'non-geometrical" phenomena in seismic wave propagation, **99**, 415
Bachtadse, V., Briden, J.C. Palaeomagnetism of the Early to Mid-Ordovician Salala igneous ring complex, Red Sea Hills, Sudan, **99**, 687
Backus, G.E. Confidence set inference with a prior quadratic bound, **97**, 119
Badiey, M. *see* Yamamoto, T.
Bakor, A.R. *see* Hussain, A.G.
Balch, S.J. *see* Latham, A.G.
Banks, R.J. *see* Muniruzzaman, M.
Barraclough, D., Gubbins, D., Kerridge, D. On the use of horizontal components of magnetic field in determining core motions, **98**, 293
Barton, P.J. *see* Morgan, J.V.
Beamish, D. *see* Tzanis, A.
Beck, A.E. *see* Wang, K.
Ben-Zion, Y. The response of two joined quarter spaces to *SH* line sources located at the material discontinuity interface, **98**, 213
Berckhemer, H. *see* Zang, A.
Beydoun, W.B., Mendes, M. Elastic ray-Born l_2-migration/inversion, **97**, 151
Blankenbach, B., Busse, F., Christensen, U., Cserepes, L. Gunkel, D., Hansen, U., Harder, H., Jarvis, G., Koch, M., Marquart, G., Moore, D., Olson, P., Schmeling, H., Schnaubelt. A benchmark comparison for mantle convection codes, **98**, 23
Bloxham, J. Simple models of fluid flow at the core surface derived from geomagnetic field models, **99**, 173
Bocchio, F. Critical paths and topological structure of the Earth's gravity field, **98**, 623
Bodén, A., Eriksson, K.G. Book review, Deep Drilling in Crystalline Bedrock, Volumes 1 and 2, **99**, 817
Boerner, D.E., West, G.F. A generalized representation of the electromagnetic fields in a layered earth, **97**, 529
Boerner, D.E., West, G.F. A spatial and spectral analysis of the electromagnetic sensitivity in a layered earth, **98**, 11
Boerner, D.E., West, G.F. Fréchet derivatives and single scattering theory, **98**, 385
Bolt, B.A. Book review, Seismic strong motion synthetics, **99**, 821
Bolt, B.A. *see* Drake, L.A.
Bourgeois, A., Jiang, B.F., Lailly, P. Linearized inversion: a significant step beyond pre-stack migration, **99**, 435
Brandenburg, A., Snieder, R. The attenuation of surface waves due to scattering, **98**, 183
Briden, J.C. *see* Bachtadse, V.
Brigaud, F., Vasseur, G. Mineralogy, porosity and fluid control on thermal conductivity of sedimentary rocks, **98**, 525
Brooks, M. *see* Melis, N.S.
Brüstle, W. *see* Schenk, T.
Burton, P.W. *see* Main, I.G.
Busse, F. *see* Blankenbach, B.

Cain, J.C. *see* Schmitz, D.R.
Cain, J.C., Wang, Z., Klurth, C., Schmitz, D.R. Derivation of a geomagnetic model to $n = 63$, **97**, 431
Cain, J.C., Wang, Z., Schmitz, D.R., Meyers, J. The geomagnetic spectrum for 1980 and core-crustal separation, **97**, 443
Cao, S., Kennett, B.L.N. Reflection seismograms in a 3-D elastic model: an isochronal approach, **99**, 63
Carbonell, R., Lana, X. A treatment of ill-conditioned systems in expansions of group velocity Raleigh waves, **97**, 51
Carrion, P. M. Generalized non-linear elastic inversion with constraints in model and data spaces, **96**, 151
Carr, J.R., Glass, C.E. Use of geostatistics for accurate mapping of earthquake ground motion, **97**, 31
Cassidy, F. *see* Roberts, R.G.
Célérier, B. *see* Tajima, F.
Červený, V. Ray tracing in factorized anisotropic inhomogeneous media, **99**, 91
Červený, V. Synthetic body wave seismograms for laterally varying media containing thin transition layers, **99**, 331
Chapman, C.H. *see* Shearer, P.M.
Chapman, C.H., Shearer, P.M. Ray tracing in azimuthally anisotropic media—II. Quasi-shear wave coupling, **96**, 65
Chen, W.P. *see* Laane, J.L.
Chiaruttini, C., Roberto, V., Saitta, F. Artificial intelligence techniques in seismic signal interpretation, **98**, 223
Christensen, N.I. Book review, **98**, 633
Christensen, U. *see* Blankenbach, B.
Christoffersson, A. *see* Roberts, R.G.
Cosentino, M., Lombardo, G., Privitera, E. A model for internal dynamical processes on Mt Etna, **97**, 367
Cserepes, L. *see* Blankenbach, B.

Dahl-Jensen, T. *see* Roberts, R.G.
Danis, M., Quintard, M. Three-dimensional numerical modelling of thermal transfer through the Vittel aquifer (Vosges, France), including approximated topographical effects, **96**, 343
Das, S.X. *see* Quin, H.R.
Davies, A.J., Foot, R., Joshi, G.C., McKellar, B.H.J. Quaternionic methods in integral transforms of geophysical interest, **99**, 589
Davies, G.F. Mantle convection model with a dynamic plate: topography, heat flow and gravity anomalies, **98**, 461
Davis, J.P., Kind, R., Sacks, I.S. Precursors to *P'P'* re-examined using broad band data, **99**, 605
Dehant, V., Zschau, J. The effect of mantle inelasticity on tidal gravity: a comparison between the spherical and the elliptical Earth model, **97**, 549
Dekkers, M.J., Linssen, J.H. Rockmagnetic properties of fine-grained natural low-temperature haematite with reference to remanence acquisition mechanisms in red beds, **99**, 1
Dekkers, M.J. Magnetic properties of natural goethite—I. Grain-size dependence of some low- and high-field related rockmagnetic parameters measured at room temperature, **97**, 323
Dekkers, M.J. Magnetic properties of natural goethite—II. TRM behaviour during thermal and alternating field demagnetization and low-temperature treatment, **97**, 341
Dentith, M.C., Hall, J. MAVIS—an upper crustal seismic refraction experiment in the Midland Valley of Scotland, **99**, 637
Desta, M. *see* Edwards, J.
Deverchère, J., Dorbath, C., Dorbath, L. Extension related to a high topography: results from a microearthquake survey in the Andes of Peru and tectonic implications, **98**, 281

de Vries, D. *see* Wahr, J.
Dickman, S.R. A complete spherical harmonic approach to luni–solar tides, **99**, 457
Diehl, J.F. *see* Mitchell, R.J.
Dorbath, C. *see* Deverchère, J.
Dorbath, L. *see* Deverchère, J.
Dosso, S.E., Oldenburg, D.W. Linear and non-linear appraisal using extremal models of bounded variation, **99**, 483
Drakatos, G. *see* Stavrakakis, G.N.
Drake, L.A., Bolt, B.A. Finite element modelling of surface wave transmission across regions of subduction, **98**, 271
Drakopoulos, J.K. *see* Makropoulos, K.C.
Drakopoulos, J. *see* Stavrakakis, G.N.
Dyer, B. *see* Kerner, C.
Dyrelius, D. *see* Juhlin, C.

Ebel, J.E. The effect of crustal scattering on observed high-frequency earthquake seismograms, **98**, 329
Edwards, J., Desta, M. Static alternating field demagnetizations of anhysteretic and rotational remanent magnetizations in rocks and synthesized samples, **99**, 749
Eitelberg, G. *see* Griffiths, R.W.
El-Isa, Z.H., Al Shanti, A. Seismicity and tectonics of the Red Sea and western Arabia, **97**, 449
Emmerich, H. 2-D wave propagation by a hybrid method, **99**, 307
Eriksson, K.G. *see* Bodén, A.

Farra, V. Ray perturbation theory for heterogeneous hexagonal anisotropic media, **99**, 733
Farra, V., Virieux, J., Madariaga, R. Ray perturbation theory for interfaces, **99**, 377
Fedi, M. *see* Rapolla, A.
Fischer, G. A strong topographic valley effect in AMT and VLF-R measurements, **96**, 469
Fiume, M.G. *see* Rapolla, A.
Flores, J. *see* Seligman, T.H.
Foot, R. *see* Davies, A.J.
Forsyth, D.W. *see* Nishimura, C.E.
Fowler, S.R. *see* Spence, G.D.
Fowler, S.R., White, R.S., Spence, G.D., Westbrook, G.K. The Hatton Bank continental margin–II. Deep structure from two-ship expanding spread seismic profiles, **96**, 295
Fraiture. Planetary oblateness and evolution of Earth flattening, **99**, 571
Frazer, L.N., Fryer, G.J. Useful properties of the system matrix for a homogeneous anisotropic visco-elastic solid, **97**, 173
Friederich, W. A new approach to Gaussian beams on a sphere: theory and application to long-period surface wave propagation, **99**, 259
Friedlander, S. Asymptotic behaviour of decay rates of internal waves in a rotating stratified spherical shell, **96**, 245
Fryer, G.J. *see* Frazer, L.N.
Fukuyama, E., Irikura, K. Heterogeneity of the 1980 Izu–Hanto–Toho–Oki earthquake rupture process, **99**, 721
Furlan, M. *see* Vaccari, F.

Gasperini, P., Sabadini, R. Lateral heterogeneities in mantle viscosity and post-glacial rebound, **98**, 413
Gavrilenko, P., Gueguen, Y. Pressure dependence of permeability a : model for cracked rocks, **98**, 159
Gawthorpe, R. *see* Westaway, R.
Gelchinsky, B. *see* Koren, Z.
Geller, R.J. *see* Tsubois, S.
Glass, C.E. *see* Carr, J.R.
Gliko, A.O., Mareschal, J.C. Non-linear asymptotic solution to Stefan-like problems and the validity of the linear approximation, **99**, 561
Gough, D.I. *see* Wang, X.
Granet, M., Trampert, J. Lare-scale *P*-velocity structures in the Euro-Mediterranean area, **99**, 593
Greenhalgh, S.A. *see* Pant, D.R.
Greenhalgh, S.A., Tapley, D., Singh, R. Crustal heterogeneity in South Australia, earthquake evidence, **96**, 85
Gregersen, S. *see* Vaccari, F.
Griffiths, R.W., Gurnis, M., Eitelberg, G. Holographic measurements of surface topography in laboratory models of mantle hotspots, **96**, 477
Groten, E., Strauss, R. Book review, GPS Techniques Applied to Geodesy and Surveying. Lecture Notes in Earth Sciences, Vol. 19 **99**, 823
Gubbins, D. *see* Barraclough, D.
Gueguen, Y. *see* Gavrilenko, P.
Gunkel, D. *see* Blankenbach, B.
Gupta, P.K., Raiche, A.P., Sugeng, F. Three-dimensional time-domain electromagnetic modelling using a compact finite-element frequency-stepping method, **96**, 457
Gurnis, M. *see* Griffiths, R.W.

Hall, J. *see* Dentith, M.C.
Hammond, P.E. *see* Mitchell, R.J.
Hansen, U. *see* Blankenbach, B.
Harder, H. *see* Blankenbach, B.
Harding, K.L. *see* Latham, A.G.
Harkrider, D.G. *see* Regan, J.
Hasegawa, A. *see* Matsumoto, S.
Hattingh, M., Loubser, L., Nagtegaal, D. Computer *K*-index estimation by a new linear-phase, robust, non-linear smoothing method, **99**, 533
Hatzfeld, D. *see* Yielding, G.
Hedlin, M.A.H., Minster, J.B., Orcutt, J.A. The time-frequency characteristics of quarry blasts and calibration explosions recorded in Kazakhstan, **99**, 109
Hegarty, K.A. *see* Kamp, P.J.J.
Henson, I.H. Multiplet coupling of the normal modes of an elliptical, transversely-isotropic earth, **98**, 457
Hinderer, J., Legros, H. Elasto-gravitational deformation, relative gravity changes and earth dynamics, **97**, 513
Hirata, N., Kanazawa, T., Suyehiró, K., Iwasaki, T., Shimamura, H. Observations of microseismicity in the southern Kuril Trench area by arrays of ocean bottom seismometers, **98**, 55
Hofstetter, A., Lister, C.R.B. Effects of isostasy on large-scale geoid signal—I. Geoid anomaly over an earth-like planet, **97**, 59
Hofstetter, A., Lister, C.R.B. Effects of isostasy on large-scale geoid signal—II. Geoid anomaly over the earth, **97**, 75
Hofstetter, A. *see* van Eck, T.
Hohmann, G.W. *see* Adhidjaja, J.I.
Ho-Liu, P., Montagner, J.-P., Kanamori, H. Comparison of iterative back-projection inversion and generalized inversion without blocks: case studies in attenuation tomography, **97**, 19
Holliger, K., Klemperer, S.L. A comparison of the Moho interpreted from gravity data and from deep seismic reflection data in the northern North Sea, **97**, 247
Horn, P., *see* Saradeth, S.
Houry, S. *see* Mazzega, P.
Huang, Q., Angelier, J. Inversion of field data in fault tectonics to obtain the regional stress—II. Using conjugate fault sets within heterogeneous families for computing palaeostress axes, **96**, 139
Hussain, A.G., Bakor, A.R. Petrography and palaeomagnetism of the basalts, southwest Harrat, Rahat, Saudi Arabia, **99**, 697
Husseini, M.I. Aseismic–seismogenic coupling for a long strike–slip fault, **97**, 391
Hyndman, R.D., Shearer, P.M. Water in the lower continental crust: modelling magnetotelluric and seismic reflection results, **98**, 343

Inokuchi, H. *see* Morinaga, H.
Irikura, K. *see* Fukuyama, E.
Iwasaki, T. *see* Hirata, N.
Izzeldin, A.Y. Transverse structures in the central part of the Red Sea and implications on early stages of oceanic accretion, **96**, 117

Jaeger, D.J. *see* Mitchell, R.J.
Jarvis, G. *see* Blankenbach, B.
Jarvis, G.T., Mitrovica, J.X. On Nusselt numbers and the relative resolution of plumes and boundary layers in mantle convection, **99**, 497
Jech, J., Pšenčík, I. First-order perturbation method for anisotropic media, **99**, 369
Jiang, B.F. *see* Bourgeois, A.
Johnson, L.R. *see* Vasco, D.W.
Johnson, R.J.E., Van der Voo, R. Dual-polarity early Carboniferous remagnetization of the Fisset Brook Formation,

Cape Breton Island, Nova Scotia, **97**, 259
Jones, C. *see* Main, I.G.
Joshi, G.C. *see* Davies, A.J.
Juhlin, C., Dyrelius, D., Lund, C.-E., Palm, H. Crustal reflections underneath Lake Vänern, Sweden,, **99**, 577

Kamp, P.J.J., Hegarty, K.A. Multigenetic gravity couple across a modern convergent margin: inheritance from Cretaceous asymmetric extension, **96**, 33
Kanamori, H. *see* Ho-Liu, P.
Kanazawa, T. *see* Hirata, N.
Karakaisis, G.F., Panagiotopoulos, D.G., Krimnianiotou, M.Ch., Papazachos, B.C. Reply on the comments of G.A. Papadopoulos on the paper 'Preseismic quiescence before large earthquakes in the Aegean and surrounding area', **98**, 405
Kendall, J.M., Thomson, C.J. A comment on the form of the geometrical spreading equations, with some numerical examples of seismic ray tracing in inhomogeneous, anisotropic media, **99**, 401
Kennett, B.L.N. On the nature of regional seismic phases—I. Phase representations for Pn, Pg, Sn, Lg,, **98**, 447
Kennett, B.L.N. *see* Cao, S.
Kerner, C., Dyer, B., Worthington, M. Wave propagation in a vertical transversely isotropic medium: field experiment and model study, **97**, 295
Kerridge, D. *see* Barraclough, D.
Kind, R. *see* Davis, J.P.
Kind, R. *see* Vinnik, L.P.
King, G.C.P. *see* Yielding, G.
Kiriakidis, L.G. The Vardar ophiolite: a continuous belt under the Axios basin sediments, **98**, 203
Kiselev, A.P. *see* Babich, V.M.
Kiselev, A.P., Tsvankin, I.K. A method of comparison of exact and asymptotic wave field computations, **96**, 96.253
Klem-Musatov, K.D., Aizenberg, A.M. The edge wave superposition method (2-D scalar problem), **99**, 351
Klemperer, S.L. *see* Holliger, K.
Klimeš, L. Gaussian packets in the computation of seismic wavefields, **99**, 421
Klurth, C. *see* Cain, J.C.
Knopoff, L. *see* Yamashita, T.
Koch, M. *see* Blankenbach, B.
Koren, Z., Gelchinsky, B. Common reflecting elements (CRE) ray tracing for the calculation of the global multi-offset time field, **99**, 391
Kõrnig, M., Müller, G. Rheological models and interpretation of postglacial uplift, **98**, 243
Kosarev, G.L. *see* Vinnik, L.P.
Krimnianiotou, M.Ch. *see* Karakaisis, G.F.
Kurtz, R.D., Macnae, J.C., West, G.F. A controlled-source, time-domain electromagnetic survey over an upthrust section of Archean crust in the Kapuskasing Structural Zone, **99**, 195

Laane, J.L., Chen, W.-P. The Makran earthquake of 1983 April 18: A possible analogue to the Puget Sound earthquake of 1965?, **98**, 1
Lailly, P. *see* Bourgeois, A.
Lambeck, K. *see* McQueen, H.W.S.
Lambeck, K. *see* Nakada, M.
Lana, X. *see* Carbonell, R.
Lapointe, P. *see* Latham, A.G.
Larsen, J.C. Transfer functions: smooth robust estimates by least-squares and remote reference methods, **99**, 655
Latham, A.G., Harding, K.L., Lapointe, P., Morris, W.A., Balch, S.J. On the lognormal distribution of oxides in igneous rocks, using magnetic susceptibility as a proxy for oxide mineral concentration, **96**, 179
Latousakis, J.B. *see* Makropoulos, K.C.
Latousakis, J. *see* Stavrakakis, G.N.
Legros, H. *see* Hinderer, J.
Lemus-Diaz, P. *see* Lomnitz-Adler, J.
Levi, S. *see* Audunsson, H.
Lilwall, R.C. *see* Marshall, P.D.
Lin, J., Parmentier, E.M. Mechanisms of lithospheric extension at mid-ocean ridges, **96**, 1
Linssen, J.H. *see* Dekkers, M.J.
Lister, C.R.B. Plate tectonics at an awkward junction: rules for the evolution of Sovanco Ridge area, NE Pacific, **96**, 191
Lister, C.R.B. *see* Hofstetter, A.
Li, Z.X., Powell, C.McA., Schmidt, P.W. Syn-deformational remanent magnetization of the Mount Eclipse Sandstone, central Australia, **99**, 205
Lombardo, G. *see* Cosentino, M.
Lomnitz-Adler, J., Lemus-Diaz, P. A stochastic model for fracture growth on a heterogeneous seismic fault, **99**, 183
Lomnitz-Adler, J., Pascual, R.P. Coupled seismic faults and the predictability of earthquakes by means of deterministic models, **98**, 143
Lomnitz-Adler, J., Pascual, R.P. Exactly solvable two-fault model with seismic radiation, **98**, 131
Loubser, L. *see* Hattingh, M.
Lowe, J.J. *see* Austin, T.J.F.
Lund, C.-E. *see* Juhlin, C.
Lyon-Caen, H., Molnar, P. Constraints on the deep structure and dynamic processes beneath the Alps and adjacent regions from an analysis of gravity anomalies, **99**, 19
Lyon-Caen, H. *see* Molnar, P.
Lyslo, J.A. *see* Nowack, R.L.

MacBeth, C.D., Panza, G.F. Modal synthesis of high-frequency waves in Scotland, **96**, 353
MacBeth, C.D., Redmayne, D.W. Source study of local coalfield events using the modal synthesis of shear and surface waves, **99**, 155
McKellar, B.H.J. *see* Davies, A.J.
McMechan, G.A. *see* Sun, R.
Macnae, J.C. *see* Kurtz, R.D.
McQueen, H.W.S., Lambeck, K. The accuracy of some lithospheric bending parameters, **96**, 401
Madariaga, R. *see* Farra, V.
Main, I.G., Burton, P.W. Seismotectonics and the earthquake frequency–magnitude distribution in the Aegean area, **98**, 575
Main, I.G., Meredith, P.G., Jones, C. A reinterpretation of the precursory seismic *b*-value anomaly from fracture mechanics, **96**, 131
Makeyeva, L.I. *see* Vinnik, L.P.
Makropoulos, K.C., Drakopoulos, J.K., Latousakis, J.B. A revised and extended earthquake catalogue for Greece since 1900, **98**, 391
Malin, S.R. Book review, Past, Present and Future Trends in Geophysical Research: Selected Papers from the Symposia of the Interdivisional Commission on History of IAGA during the IUGG General Assembly held in Vancouver, 1987, **99**, 253
Malischewsky, P. Book review, Surface Waves and Discontinuities, **99**, 819
Malischewsky, P. Interpretation of surface wave spectra in laterally inhomogeneous media, **99**, 305
Mantovani, E. *see* Albarello, D.
Mareschal, J.C. *see* Gliko, A.O.
Marquart, G., Schmeling, H. Topography and geoid undulations caused by small-scale convection beneath continental lithosphere of variable elastic thickness, **97**, 511
Marquart, G. *see* Blankenbach, B.
Marshall, P.D., Stewart, R.C., Lilwall, R.C. The seismic disturbance on 1986 August 1 near Novaya Zemlya: a source of concern?, **98**, 565
Martelli, G., Smith, P.N., Woodward, A.J. Light, radiofrequency emission and ionization effects associated with rock fracture, **98**, 397
Martinec, Z. Thomson–Haskell matrix method for free spheroidal elastic oscillations, **98**, 195
Mateos, J.L. *see* Seligman, T.H.
Matsumoto, S., Hasegawa, A. Two-dimensional coda Q structure beneath Tohoku, NE Japan, **99**, 101
Matsu'ura, M., Sato, T. A dislocation model for the earthquake cycle at convergent plate boundaries, **96**, 23
Maupin, V. Numerical modelling of *Lg* wave propagation across the North Sea Central Graben, **99**, 273
Maupin, V. Surface waves in weakly anisotropic structures: on the use of ordinary or quasi-degenerate perturbation methods, **98**, 553
Mazzarella, A., Palumbo, A. Earth's rotation and solar activity, **97**, 181

Mazzega, P., Houry, S. An experiment to invert *Seasat* altimetry for the Mediterranean and Black Sea mean surfaces, **96**, 259
Mechie, J. *see* Yan, Q.Z.
Melis, N.S., Brooks, M., Pearce, R.G. A microearthquake study in the Gulf of Patras region, western Greece, and its seismotectonic interpretation, **98**, 515
Mendes, M. *see* Beydoun, W.B.
Meredith, P.G. *see* Main, I.G.
Meyer, J. *see* Schmitz, D.R.
Meyers, J. *see* Cain, J.C.
Middleton, M.F. A model for the formation of intracratonic sag basins, **99**, 675
Mindevalli, O.Y., Mitchell, B.J. Crustal structure and possible anisotropy in Turkey from seismic surface wave dispersion, **98**, 93
Minster, J.B. *see* Hedlin, M.A.
Mitchell, B.J. *see* Mindevalli, O.Y.
Mitchell, R.J., Jaeger, D.J., Diehl, J.F., Hammond, P.E. Palaeomagnetic results from the Indian Heaven volcanic field, south-central Washington, **97**, 381
Mithal, R., Mutter, J.C. A low-velocity zone within the layer 3 region of 118 Myr old oceanic crust in the western North Atlantic, **97**, 275
Mitrovica, J.X. *see* Jarvis, G.T.
Mochizuki, E. On horizontal wavefunctions in cylindrical coordinates, **98**, 395
Moczo, P. Finite-difference technique for *SH*-waves in 2-D media using irregular grids–application to the seismic response problem, **99**, 321
Molnar, P., Lyon-Caen, H. Fault plane solutions of earthquakes and active tectonics of the Tibetan Plateau and its margins, **99**, 123
Molnar, P. *see* Lyon-Caen, H.
Molodensky, S.M. Asymptotic behaviour of solutions to Laplace's tidal equations at low frequencies, **97**, 459
Molyneux, L. *see* Noel, M.
Montagner, J.-P. *see* Ho-Liu, P.
Moore, D. *see* Blankenbach, B.
Morgan, J.V., Barton, P.J., White, R.S. The Hatton Bank continental margin–III. Structure from wide-angle OBS and multichannel seismic refraction profiles, **98**, 367
Morinaga, H., Inokuchi, H., Yaskawa, K. Palaeomagnetism of stalagmites (speleothems) in SW Japan, **96**, 519
Morris, W.A. *see* Latham, A.G.
Mucciarelli, M. *see* Albarello, D.
Müller, G. *see* Kõrnig, M.
Müller, G. *see* Schenk, T.
Müller-Sohnius, D. *see* Saradeth, S.
Muniruzzaman, M., Banks, R.J. Basement magnetization estimates by wavenumber domain analysis of magnetic and gravity maps, **97**, 103
Musgrave, R.J. A weighted least-squares fit of the Australian apparent polar wander path for the last 100 Myr, **96**, 231
Mutter, J.C. *see* Mithal, R.

Nagtegaal, D. *see* Hattingh, M.
Nakada, M., Lambeck, K. Late Pleistocene and Holocene sea-level change in the Australian region and mantle rheology, **96**, 497
Newman, G.A. Deep transient electromagnetic soundings with a grounded source over near-surface conductors, **98**, 587
Nicollin, F. *see* Paul, A.
Nishimura, C.E., Forsyth, D.W. The anisotropic structure of the upper mantle in the Pacific, **96**, 203
Noel, M., Pickering, M., Molyneux, L. An instrument for measuring the axial remanent magnetization of long sediment cores, **97**, 95
Norton, S.J. Tomographic reconstruction of 2-D vector fields: application to flow imaging, **97**, 161
Novaro, O. *see* Seligman, T.H.
Nowack, R.L., Lyslo, J.A. Fréchet derivatives for curved interfaces in the ray approximation, **97**, 497

Oldenburg, D.W. *see* Dosso, S.E.
Olson, P. *see* Blankenbach, B.
Onyed, M. *see* Yielding, G.
Orcutt, J.A. *see* Hedlin, M.A.

Palm, H. *see* Juhlin, C.
Palumbo, A. *see* Mazzarella, A.
Panagiotopoulos, D.G. *see* Karakaisis, G.F.
Pant, D.R., Greenhalgh, S.A. Lateral resolution in seismic reflection—a physical model study, **97**, 187
Panza, G.F. *see* MacBeth, C.D.
Panza, G.F. *see* Vaccari, F.
Papadopoulos, G.A. Comments on 'Preseismic quiescence before large earthquakes in the Aegean and surrounding area' by Karakaisis *et al* (1987), **98**, 403
Papanastassiou, D. *see* Stavrakakis, G.N.
Papazachos, B.C. *see* Karakaisis, G.F.
Parés, J.M. J.M. An application of the combined conglomerate–fold test to the study of foreland basins. Palaeomagnetic results from the southeastern Ebro Basin, **99**, 223
Parmentier, E.M. *see* Lin, J.
Pascual, R.P. *see* Lomnitz, J.
Paul, A., Nicollin, F. Thin crustal layering in Northern France: observations and modelling of the $P_M P$ spectral content, **99**, 229
Paulson, K.V. *see* Yee, E.
Pearce, R.G. *see* Melis, N.S.
Peréz Pascual, R. *see* Lomnitz-Adler, J.
Pickering, M. *see* Noel, M.
Ponat, E. *see* Saribudak, M.
Powell, C.M. *see* Li, Z.X.
Privitera, E. *see* Cosentino, M.
Pšenčík, I. *see* Jech, J.

Quin, H.R., Das, S.X. A hybrid boundary integral equation method for the conputation of source time functions for 3-D rupture propagation, **96**, 163
Quintard, M. *see* Danis, M.

Raiche, A.P. *see* Gupta, P.K.
Ramsay, D.M. *see* Torsvik, T.H.
Randall, E. Efficient calculation of differential seismograms for lithospheric receiver functions, **99**, 469
Rapolla, A., Fedi, M., Fiume, M.G. Crustal structure of the Ischia–Phlegrean geothermal fields, near Naples, Italy, from gravity and aeromagnetic data, **97**, 409
Rapp, R.H. The decay of the spectrum of the gravitational potential and the topography for the Earth, **99**, 449
Redmayne, D.W. *see* MacBeth, C.D.
Regan, J., Harkrider, D.G. Numerical modelling of SJ Lg waves in and near continental margins, **98**, 107
Regan, J., Harkrider, D.G. Seismic representation theorem coupling: synthetic SH mode sum seismograms for non-homogeneous paths, **98**, 429
Rial, J.A. Seismic wave resonances in 3-D sedimentary basins, **99**, 81
Ribe, N.M. A Continuum theory for lattice preferred orientation, **97**, 199
Ribe, N.M. Mantle flow induced by back arc spreading, **98**, 85
Roberto, V. *see* Chiaruttini, C.
Roberts, R.G., Christoffersson, A., Cassidy, F. Real-time event detection, phase indentification and source location estimation using single station three-component seismic data, **97**, 471
Roberts, R.G., Dahl-Jensen, T. Deep seismic reflection processing in the complex demodulate domain: basic theory and application to residual static estimation, **98**, 543
Roslov, Y.V. *see* Yanovskaya, T.B.
Rybicki, K.R. On fault slip zones in the external shear-field separated by a high rigidity asperity (barrier)–inplane and antiplane strain models, **96**, 101
Rymer, H. A contribution to precision microgravity data analysis using Lacoste and Romberg gravity meters, **97**, 311

Sabadini, R. *see* Gasperini, P.
Sacks, I.S. *see* Davis, J.P.
Saitta, F. *see* Chiaruttini, C.
Samson, J.C. *see* Wang, X.
Sanver, M. *see* Sarıbudak, M.
Saradeth, S., Soffel, H.C., Horn, P., Müller-Sohnius, D., Schult, A. Upper Proterozoic and Phanerozoic pole positions and potassium–argon (K–Ar) ages from the East Sahara Craton, **97**, 209
Sarıbudak, M. A palaeomagnetic approach to the origin of the

Black Sea, **99**, 247
Sarıbudak, M. New results and a palaeomagnetic overview of the Pontides in northern Turkey, **99**, 521
Sarıbudak, M., Sanver, M., Ponat, E. Location of the western Pontides, NW Turkey, during Triassic time: preliminary palaeomagnetic results, **96**, 43
Sato, T. *see* Matsu'ura, M.
Scales, J.A. On the use of conjugate gradient to calculate the eigenvalues and singular values of large, **97**, 179
Schenk, T., Müller, G., Brüstle, W. Long-period precursors to pP from deep-focus earthquakes: the Moho underside reflection pMP, **98**, 317
Schmeling, H. *see* Blankenbach, B.
Schmeling, H. *see* Marquart, G.
Schmidt, P.W. *see* Li, Z.X.
Schmitz, D.R., Meyer, J., Cain, J.C. Modelling the Earth's geomagnetic field to high degree and order, **97**, 421
Schmitz, D.R. *see* Cain, J.C.
Schnaubelt, T. *see* Blankenbach, B.
Schult, A. *see* Saradeth, S.
Seligman, T.H., Alvarez-Tostado, J.M., Mateos, J.L., Flores, J., Novaro, O. Resonant response models for the Valley of Mexico— I; the elastic inclusion approach, **99**, 799
Shearer, P.M., Chapman, C.H. Ray tracing in azimuthally anisotropic media—I. Results for models of aligned cracks in the upper crust, **96**, 51
Shearer, P.M. *see* Chapman, C.H.
Shearer, P.M. *see* Hyndman, R.D.
Shimamura, H. *see* Hirata, N.
Singh, R. *see* Greenhalgh, S.A.
Smith, P.N. *see* Martelli, G.
Smith, R.B. *see* Westaway, R.
Snieder, R. *see* Brandenburg, A.
Snieder, R. *see* Tromp, J.
Soffel, H.C. *see* Saradeth, S.
Souriau, A., Souriau, M. Ellipticity and density at the inner core boundary from subcritical PKiKP and PcP data, **98**, 39
Souriau, M. *see* Souriau, A.
Spence, G.D. *see* Fowler, S.R.
Spence, G.D., White, R.S., Westbrook, G.K., Fowler, S.R. The Hatton Bank continental margin—I. Shallow structure from two-ship expanding spread seismic profiles, **96**, 273
Stavrakakis, G.N., Drakopoulos, J., Latoussakis, J., Papanastassiou, D., Drakatos, G. Spectral characteristics of the 1986 September 13 Kalamata (southern Greece) earthquake, **98**, 149
Steele, W.K. Directional errors in remanent magnetization of non-cubic soft sediment specimens measured with spinner magnetometers, **96**, 333
Steiner, F., Zilahi-Sebess, L. Book Review, Interpretation of filtered gravity maps, **99**, 825
Stewart, R.C. *see* Marshall, P.D.
Strauss, R. *see* Groten, E.
Strelitz, R.A. Choosing the 'best' double couple from a moment-tensor inversion, **99**, 811
Sturt, B.A. *see* Torsvik, T.H.
Sugeng, F. *see* Gupta, P.K.
Sun, R., McMechan, G.A. Seismic modelling by Fresnel diffraction theory with application to wide-aperture data from SW Oklahoma, **98**, 603
Suyehiro, K. *see* Hirata, N.

Tajima, F., Célérier, B. Possible focal mechanism change during reactivation of a previously ruptured subduction zone and stress tensor implications, **98**, 301
Tanimoto, T. *see* Zhang, Y.S.
Tapley, D. *see* Greenhalgh, S.A.
Tarling, D.H. Book review, **98**, 409
Thomson, C.J. Corrections for grazing rays in 2-D seismic modelling, **96**, 415
Thomson, C.J. *see* Kendall, J.M.
Torsvik, T.H., Sturt, B.A., Ramsay, D.M. On the origin and the tectonic implications of magnetic overprinting of the Old Red Sandstone, Shetland, **99**, 759
Tozzi, M. *see* Westaway, R.
Trampert, J. *see* Granet, M.
Trevorrow, M.V. *see* Yamamoto, T.
Tromp, J., Snieder, R. The reflection and transmission of plane *P*- and *S*-waves by a continuously stratified band: a new approach using invariant imbedding, **96**, 447
Tsuboi, S., Geller, J. Coupling between the multiplets of laterally heterogeneous earth models, 96, 371
Tsvankin, I.D. *see* Kiselev, A.P.
Turgut, A. *see* Yamamoto, T.
Tzanis, A., Beamish, D. A high-resolution spectral study of audiomagnetotelluric data and noise interactions, **97**, 557

Vaccari, F., Gregersen, S., Furlan, M., Panza, G.F. Synthetic seismograms in laterally heterogeneous, anelastic media by modal summation of *P–SV*-waves, **99**, 285
Van der Voo, R. *see* Johnson, R.J.E.
van Eck, T., Hofstetter, A. Microearthquake activity in the Dead Sea region, **99**, 615
Vasco, D.W., Johnson, L.R. Inversion of waveforms for extreme source models with an application to the isotropic moment tensor component, **97**, 1
Vasseur, G. *see* Brigaud, F.
Vinnik, L.P., Kind, R., Kosarev, G.L., Makeyeva, L.I. Azimuthal anisotropy in the lithosphere from observations of long-period *S*-waves, **99**, 549
Virieux, J. *see* Farra, V.

Wahr, J., de Vries, D. The possibility of lateral structure inside the core and its implications for nutation and Earth tide observations, **99**, 511
Wang, K., Beck, A.E. An inverse approach to heat flow study in hydrologically active areas, **98**, 69
Wang, X., Samson, J.C., Gough, D.I. Estimation of the magnetic fields of current channels in magnetovariational data, **96**, 381
Wang, Z. *see* Cain, J.C.
West, G.F. *see* Boerner, D.E.
West, G.F. *see* Kurtz, R.D.
Westaway, R. Deformation of the NE Basin and Range Province: the response of the lithosphere to the Yellowstone plume?, **99**, 33
Westaway, R., Gawthorpe, R., Tozzi, M. Seismological and field observations of the 1984 Lazio–Abruzzo earthquakes: implications for the active tectonics of Italy, **98**, 489
Westaway, R., Smith, R.B. Strong ground motion in normal-faulting earthquakes, **96**, 529
Westbrook, G.K. *see* Fowler, S.R.
Westbrook, G.K. *see* Spence, G.D.
Westphal, M. The Strasbourg palaeomagnetic database, **97**, 361
White, D.J. Two-dimensional seismic refraction tomography, **97**, 223
White, R.S. *see* Fowler, S.R.
White, R.S. *see* Morgan, J.V.
White, R.S. *see* Spence, G.D.
Woodward, A.J. *see* Martelli, G.
Worthington, B. *see* Kerner, C.

Yamamoto, T., Trevorrow, M.V. Badiey, M., Turgut, A. Determination of the seabed porosity and shear modulus profiles using a gravity wave inversion, **98**, 173
Yamashita, T., Knopoff, L. A model of foreshock occurrence, **96**, 389
Yanovskaya, T.B., Roslov, Y. V. Peculiarities of surface wave fields in laterally inhomogeneous media in the framework of ray theory, **99**, 297
Yan, Q.Z., Mechie, J. A fine structural section through the crust and lower lithosphere along the axial region of the alps, **98**, 465
Yaskawa, K. *see* Morinaga, H.
Yee, E., Paulson, K.V. The completion of the *c*-response function for utilization in exact inversion procedures, **97**, 41
Yielding, G., Onyed, M., King, G.C.P., Hatzfeld, D. Active tectonics of the Algerian Atlas Mountains—evidence from aftershocks of the 1980 El Asnam earthquake, **99**, 771

Zang, A., Berckhemer, H. Residual stress features in drill cores, **99**, 631
Zhang, Y.S., Tanimoto, T. Three-dimensional modelling of upper mantle structure under the Pacific Ocean and surrounding area, **98**, 255
Zilahi-Sebess, L. *see* Steiner, F.
Zschau, J. *see* Dehant, V.